

1 AN ACT relating to mining.

2 ***Be it enacted by the General Assembly of the Commonwealth of Kentucky:***

3 ➔Section 1. KRS 351.010 is amended to read as follows:

4 (1) As used in this chapter, unless the context requires otherwise:

5 (a) "Adulterated specimen" means a specimen containing a substance that is not a  
6 normal constituent or containing an endogenous substance at a concentration  
7 that is not a normal physiological concentration;

8 (b) "Approved" means that a device, apparatus, equipment, or machinery, or  
9 practice employed in the mining of coal has been approved by the  
10 commissioner of the Department for Natural Resources;

11 (c) "Assistant mine foreman" means a certified person designated to assist the  
12 mine foreman in the supervision of a portion or the whole of a mine or of the  
13 persons employed therein;

14 (d) "Commercial mine" means any coal mine from which coal is mined for sale,  
15 commercial use, or exchange. This term shall in no instance be construed to  
16 include a mine where coal is produced for own use;

17 (e) "Commission" means the Mine Safety Review Commission created by KRS  
18 351.1041;

19 (f) "Commissioner" means commissioner of the Department for Natural  
20 Resources;

21 (g) "Department" means the Department for Natural Resources;

22 (h) "Drift" means an opening through strata or coal seams with opening grades  
23 sufficient to permit coal to be hauled therefrom or which is used for the  
24 purpose of ventilation, drainage, ingress, egress, and other purposes in  
25 connection with the mining of coal;

26 (i) "Excavations and workings" means the excavated portions of a mine;

27 (j) "Fire boss" (often referred to as mine examiner) means a person certified as a

- 1 mine foreman or assistant mine foreman who is designated by management to  
2 examine a mine or part of a mine for explosive gas or other dangers before a  
3 shift crew enters;
- 4 (k) "Gassy mine." All mines shall be classified as gassy or gaseous;
- 5 (l) "Illicit substances" includes prescription drugs used illegally or in excess of  
6 therapeutic levels as well as illegal drugs;
- 7 (m) "Intake air" means air that has not passed through the last working place of the  
8 split or by the unsealed entrances to abandoned workings and by analysis  
9 contains not less than nineteen and one-half percent (19.5%) oxygen, no  
10 dangerous quantities of flammable gas, and no harmful amounts of poisonous  
11 gas or dust;
- 12 (n) "Licensee" means any owner, operator, lessee, corporation, partnership, or  
13 other person who procures a license from the department to operate a coal  
14 mine;
- 15 (o) "Medical review officer" or "MRO" means a licensed physician with  
16 knowledge of substance abuse disorders, laboratory testing, chain of custody,  
17 collection procedures, and the ability to verify positive, confirmed test results.  
18 The MRO shall possess the necessary medical training to interpret and  
19 evaluate a positive test result in relation to the person's medical history or any  
20 other relevant biomedical information;
- 21 (p) "Mine" means any open pit or any underground workings from which coal is  
22 produced for sale, exchange, or commercial use, and all shafts, slopes, drifts,  
23 or inclines leading thereto, and includes all buildings and equipment, above or  
24 below the surface of the ground, used in connection with the workings.  
25 Workings that are adjacent to each other and under the same management, but  
26 which are administered as distinct units, shall be considered a separate mine;
- 27 (q) "Mine foreman" means a certified person whom the licensee or superintendent

1 places in charge of the workings of the mine and of the persons employed  
2 therein;

3 (r) "Mine manager" means a certified or noncertified person whom the licensee  
4 places in charge of a mine or mines and whose duties include but are not  
5 limited to operations at the mine or mines and supervision of personnel when  
6 qualified to do so;

7 (s) "Open-pit mine" shall include open excavations and open-cut workings,  
8 including but not limited to auger operations and highwall mining systems for  
9 the extraction of coal. However, "open-pit mine" shall not include any  
10 excavation made from a refuse fill;

11 (t) "Operator" means the licensee, owner, lessee, or other person who operates or  
12 controls a coal mine;

13 (u) "Permissible" refers to any equipment, device, or explosive that has been  
14 approved by the United States Bureau of Mines, the Mining Enforcement and  
15 Safety Administration, or the Mine Safety and Health Administration and that  
16 meets all requirements, restrictions, exceptions, limitations, and conditions  
17 attached to the classification by the approving agency;

18 (v) "Preshift examination" means the examination of a mine or any portion  
19 thereof where miners are scheduled to work or travel, which shall be  
20 conducted not more than three (3) hours before any oncoming shift;

21 (w) "Return air" means air that has passed through the last active working place on  
22 each split, or air that has passed through abandoned, inaccessible, or pillared  
23 workings;

24 (x) "Serious physical injury" means an injury which has a reasonable potential to  
25 cause death;

26 (y) "Shaft" means a vertical opening through the strata that is used in connection  
27 with the mining of coal, for the purpose of ventilation or drainage, or for

1 hoisting men, coal, or materials;

2 (z) "Slope" means an inclined opening used for the same purpose as a shaft;

3 (aa) "Superintendent" means the person who, on behalf of the licensee, has  
4 immediate supervision of one (1) or more mines;

5 (ab) "Supervisory personnel" means a person certified under the provisions of this  
6 chapter to assist in the supervision of a portion or the whole of the mine or of  
7 the persons employed therein;

8 (ac) "Division" means the Division of Mine Safety;

9 (ad) "Director" means the director of the Division of Mine Safety;

10 (ae) "Probation" means the status of a certification or license issued by the  
11 Division of Mine Safety that conditions the validity of the certification or  
12 license upon compliance with orders of the Mine Safety Review Commission;  
13 and

14 (af) "Final order of the commission" means an order which has not been appealed  
15 to the Franklin Circuit Court within thirty (30) days of entry, or an order  
16 affirming the commission's order that has been entered by any court within the  
17 Commonwealth and for which all appeals have been exhausted.

18 (2) Except as the context otherwise requires, this chapter applies only to commercial  
19 coal mines.

20 (3) The definitions in KRS 352.010 apply also to this chapter, unless the context  
21 requires otherwise.

22 ➔Section 2. KRS 352.010 is amended to read as follows:

23 (1) As used in this chapter, unless the context requires otherwise:

24 (a) "Abandoned workings" means excavations, either caved or sealed, that are  
25 deserted and in which further mining is not intended, or open workings which  
26 are ventilated and not inspected regularly;

27 (b) "Active workings" means all places in a mine that are ventilated and inspected

1           regularly;

2           (c) "Approved" means that a device, apparatus, equipment, machinery, or practice  
3           employed in the mining of coal has been approved by the commissioner of the  
4           Department for Natural Resources;

5           (d) "Assistant mine foreman" means a certified person designated to assist the  
6           mine foreman in the supervision of a portion or the whole of a mine or of the  
7           persons employed therein;

8           (e) "Commercial mine" means any coal mine from which coal is mined for sale,  
9           commercial use, or exchange. This term shall in no instance be construed to  
10          include a mine where coal is produced for own use;

11          (f) "Commissioner" means commissioner of the Department for Natural  
12          Resources;

13          (g) "Department" means the Department for Natural Resources;

14          (h) "Drift" means an opening through strata or coal seams with opening grades  
15          sufficient to permit coal to be hauled therefrom, or which is used for the  
16          purpose of ventilation, drainage, ingress, egress, and other purposes in  
17          connection with the mining of coal;

18          (i) "Director" means the director of the Division of Mine Safety;

19          (j) "Excavations and workings" means the excavated portions of a mine;

20          (k) "Face equipment" means mobile or portable mining machinery having electric  
21          motors or accessory equipment normally installed or operated in by the last  
22          open crosscut in any entry or room;

23          (l) "Fire boss" (often referred to as mine examiner) means a person certified as a  
24          mine foreman or assistant mine foreman who is designated by management to  
25          examine a mine or part of a mine for explosive gas or other dangers before a  
26          shift crew enters;

27          (m) "Gassy mine." All underground mines shall be classified as gassy or gaseous;

- 1 (n) "High voltage" means any voltage of one thousand (1,000) volts or more;
- 2 (o) "Imminent danger" means the existence of any condition or practice which
- 3 could reasonably be expected to cause death or serious physical injury before
- 4 the condition or practice can be abated;
- 5 (p) "Inactive workings" shall include all portions of a mine in which operations
- 6 have been suspended for an indefinite period, but have not been abandoned;
- 7 (q) "Intake air" means air that has not passed through the last working place of the
- 8 split or by the unsealed entrances to abandoned workings and by analysis
- 9 contains not less than nineteen and one-half percent (19.5%) of oxygen, no
- 10 dangerous quantities of flammable gas, and no harmful amounts of poisonous
- 11 gas or dust;
- 12 (r) "Licensee" means any owner, operator, lessee, corporation, partnership, or
- 13 other person who procures a license from the department to operate a coal
- 14 mine;
- 15 (s) "Low voltage" means up to and including six hundred sixty (660) volts;
- 16 (t) "Medium voltage" means voltages greater than six hundred sixty (660) and up
- 17 to nine hundred ninety-nine (999) volts;
- 18 (u) "Mine" means any open pit or any underground workings from which coal is
- 19 produced for sale, exchange, or commercial use, and all shafts, slopes, drifts,
- 20 or inclines leading thereto, and includes all buildings and equipment, above or
- 21 below the surface of the ground, used in connection with the workings.
- 22 Workings that are adjacent to each other and under the same management and
- 23 which are administered as distinct units shall be considered separate mines;
- 24 (v) "Mine foreman" means a certified person whom the licensee, mine manager,
- 25 or superintendent places in charge of the workings of the mine and of persons
- 26 employed therein;
- 27 (w) "Mine manager" means a certified or noncertified person whom the licensee

1 places in charge of a mine or mines and whose duties include but are not  
2 limited to operations at the mine or mines and supervision of personnel when  
3 qualified to do so;

4 (x) "NAD 83" means the North American Datum, 1983 version, in feet units;

5 (y) "Open-pit mine" shall include open excavations and open-cut workings  
6 including auger operations and highwall mining systems for the extraction of  
7 coal. However, "open-pit mine" shall not include any excavation made  
8 from a refuse fill;

9 (z) "Operator" means the licensee, owner, lessee, or other person who operates or  
10 controls a coal mine;

11 (aa) "Permissible" means that any equipment, device, or explosive that has been  
12 approved by the United States Bureau of Mines, the Mining Enforcement and  
13 Safety Administration, or the Mine Safety and Health Administration meets  
14 all requirements, restrictions, exceptions, limitations, and conditions attached  
15 to the classification;

16 (ab) "Preshift examination" refers to the examination of an underground mine or  
17 part of a mine where miners are scheduled to work or travel, and shall be  
18 conducted not more than three (3) hours before any oncoming shift;

19 (ac) "Return air" means air that has passed through the last active working place on  
20 each split, or air that has passed through abandoned, inaccessible, or pillared  
21 workings;

22 (ad) "Serious physical injury" means an injury which has a reasonable potential to  
23 cause death;

24 (ae) "Shaft" means a vertical opening through the strata that is or may be used, in  
25 connection with the mining of coal, for the purpose of ventilation or drainage,  
26 or for hoisting men, coal, or materials;

27 (af) "Single Zone Projection" means the Kentucky Single Zone State Plane

- 1           Coordinate System of 1983, based on the Lambert Conformal Conical map  
2           projection with double standard parallels on the North American Datum, 1983  
3           version, as established in 10 KAR 5:010;
- 4           (ag) "Slope" means an inclined opening used for the same purpose as a shaft;
- 5           (ah) "Superintendent" means the person who, on behalf of the licensee, has  
6           immediate supervision of one (1) or more mines;
- 7           (ai) "Supervisory personnel" shall mean a person or persons certified under the  
8           provisions of KRS Chapter 351 to assist in the supervision of a portion or the  
9           whole of the mine or of the persons employed therein;
- 10          (aj) "Tipple or dumping point" means the structure where coal is dumped or  
11          unloaded from the mine car into railroad cars, trucks, wagons, or other means  
12          of conveyance;
- 13          (ak) "Working face" means any place in a coal mine at which the extraction of coal  
14          from its natural deposit in the earth is performed during the mining cycle;
- 15          (al) "Working place" means the area of a coal mine inby the last open crosscut;
- 16          (am) "Working section" means all areas of a coal mine from the loading point to  
17          and including the working faces; and
- 18          (an) "Workmanlike manner" means consistent with established practices and  
19          methods utilized in the coal industry.
- 20        (2) The definitions in KRS 351.010 apply also to this chapter, unless the context  
21        requires otherwise.
- 22        (3) Except as the context otherwise requires, this chapter applies only to commercial  
23        mines as defined in KRS 351.010 and shall not apply to electrical facilities owned,  
24        operated, or otherwise controlled by a retail electric supplier or generation and  
25        transmission cooperative as defined in KRS 278.010 or organized under KRS  
26        Chapter 279 for the purpose of communication, metering, or for the generation,  
27        control, transformation, transmission, and distribution of electric energy located in



1 buildings used exclusively by utilities for such purposes or located outdoors on  
2 property owned or leased by the utility or on public highways, streets, roads, or  
3 outdoors by established easement rights on private property and that are covered by  
4 the National Electric Safety Code (NESC) or other applicable safety codes, or other  
5 authorities having jurisdiction and shall not apply to installations under the  
6 exclusive control of utilities for the purpose of communication, metering, or for the  
7 generation, control, transformation, transmission, and distribution of electric energy  
8 located in buildings used exclusively by utilities for such purposes or located  
9 outdoors on property owned or leased by the utility or on public highways, streets,  
10 roads, or outdoors by established rights on private property.