
Pfizer's BNT162b2 and Women's Health

Robert W. Chandler MD MBA

- 1. Why I got Involved
- 2. Pfizer Documents Analysis Project (PDAP)
- 3. Female: Male Adverse Event Differences
- 4. CoVax Disease



Injected with every vaccine including those for travel in Africa, Peruvian Amazon, and Remote Pacific Islands

- 1. Bias in Favor of Vaccines
- 2.I researched the C19 medical literature (from China), Nursing Home in Pacific Northwest, Diamond Princess, Bhattacharya Paper
- 3.Conclusion: Despite comorbidities my personal risk was very low

I had no Distrust of Pharma

- I had been a Clinical Investigator for Pfizer Company, Howmedica
- Information available was that LNP/mRNA remained in deltoid tissues and had half life of 12 hours

Our Grandchildren were afraid they would make us sick!

I had Trust in the FDA and CDC


RW Chandler MD MBA 5/30/24



mRNA1273 and Dodger Stadium Parking Lot 1/21/2021 & 2/18/2021

3

RW Chandler MD MBA




Mental Fogginess, Rapid Fever Elevation




Ongoing mRNA1273 Related Medical Issue?

- Free Light Chains are Elevated in a diversity of medical conditions
- Most Concerning are
 Plasmacytoma and Multiple
 Myeloma
- 3. 77 Cases of Free Light Chain Elevations or Tissue Deposition confirmed by biopsy in VAERS.



RW Chandler MD MBA 5/30/24 6

Aaron Siri Prevailed in His Freedom of Information Request and Lawsuit



In response to a Freedom of Information Act request, the Food and Drug Administration asked a federal judge for permission to make the public wait until the year 2096 to disclose all of the data it relied upon to license Pfizer's Covid-19 vaccine.

The agency originally estimated it would need to produce 329,000 pages, and asked the court for permission to produce just 500 pages per month, which would have taken 55 years. In its final brief to the Court, the FDA admitted that the total page count was at least 451,000, but still sought permission to produce just 500 pages per month. Meaning that it could have taken 75 years, when most Americans alive today would be dead, to fully publicly disclose this information.

On Jan. 6, a federal court in the Northern District of Texas ordered the expedited release. As of Jan. 12, the FDA hasn't indicated it intends to appeal.

RW Chandler MD MBA 5/30/24

My Assumption was that it would not take long to verify the work done to develop and market BNT162b2 was done properly.

Project Structure:



Six Teams Weekly Meeting of All Teams (Unpaid Volunteers)



Weekly Meeting of Each Team



Documents Distributed According to Skill sets

PDAP Processes:

- A. Document and Data Acquisition
- B. Distribution
- C. Collaboration
- D. Add On Resources

Public Health and Medical Professionals for Transparency Documents

earch: "Reset			20 document
File Name	Date Produced **	File Size	Link
034 – Transcript of Scheduling Conference (December 14, 2021).pdf	March 16,	141 KB	Download
	2022		
Order February 7, 2022.pdf	February 7,	151 KB	Download
	2022		
056 – ORDER GRANTING IN PART THE MOTION TO MODIFY THE PRODUCTION SCHEDULE AND	February 2,	124 KB	Download
ADDOPTS THE JOINT STATUS REPORT MODIFIED AGREED PRODUCTION SCHEDULE.pdf	2022		
047 – PLAINTIFF'S RESPONSE TO PFIZER INC.'S MOTION FOR LEAVE TO INTERVENE FOR A	January 25,	293 KB	Download
LIMITED PURPOSE.pdf	2022		
046 - RESPONSE filed by Food and Drug Administration re [40] MOTION to Intervene for a Limited	January 25,	128 KB	Download
Purpose.pdf	2022		
044 - PL PHPMT'S MOL IN OPPOSITION TO DEFENDANT'S MOTION TO MODIFY THE	January 24,	420 KB	Download
SCHEDULING ORDER OF THE COURT.pdf	2022		
041 – Memorandum in Support filed by Pfizer, Inc. re [40] MOTION to Intervene for a Limited	January 21,	1,014	Download
Purpose.pdf	2022	KB	

RW Chandler MD MBA 5/30/24

PDAP Output After 2 Years



98 Reports: DailyClout.io



1 Peer Reviewed Paper

https://ijvtpr.com/index.php/IJVTPR/article/view/86



Hundreds of Internet Postings (Substack)



2 Books





Numerous Media Presentations

RW Chandler MD MBA 5/30/24 1

Q: Did They Release Everything? A: No

11





Millions of Missing Lab Values


<u>Subjects</u>	40,000
5 tubes/draw	200,000
3 draws	600,000
3 tests/tubes (estimate)	3,000,000
5 tests/tubes (estimate)	6,000,000

Redactions

Of Specific Interest: Lymphocyte Counts, Cytokines, HCG

Findings To Be Discussed Sources: Pfizer Documents, Govt Databases, Scientific Literature, and Burkhardt/Lang IHC Data

Levels of Evidence Paradigm



https://www.researchgate.net/figure/Hierarchy-of-evidence-pyramid-The-pyramidal-shape-qualitatively-integrates-the-amount-of_fig1_311504831

- Flaws in Phase 2/3 Randomized Double Blinded Controlled Trial
 - Unblinded Control Group @ a few mos. Not 2 years
 - Protocol Deviations
 - Superficial Data Collection
- No Prospective Cohort Studies
- Limited Retrospective and Observational Studies
- Limited Autopsy Data
 - Rare Histopathology + Immunohistochemistry
 - Burkhardt/Lang Series of 169 Cases an Exception

LNP/mRNA Genetic Platform Flaws

(Sahin, et al., 2014, Weissman, et al., 2018, Granot-Matok, et al., 2019)

- Duration and Mode of Action
 - modRNA
 - Translated proteins
- Non-self proteins and autoimmunity
- Stem cell alteration
- Biodistribution
- Metabolites: Amyloid

- Acccumulated Dose Effects
- Cytokinopathy
- Dysregulation of host genome including oncogenes
- → Immune suppression (VAIDS and IgG₄)
 - Altered Coagulation Kinetics and Morphology

Useful Summary Reports: 2.4 and 5.3.6

Report 81: Summary of 2.4 Nonclinical Overview - Pfizer mRNA COVID-19 Vaccine, BNT162b2


August 29, 2023 • by Robert W. Chandler, MD, MBA

Reference document Pfizer confidential document "2.4 NONCLINICAL OVERVIEW," Version 3 (36 pages) while reading this summary. [https://phmpt.org/wp-content/uploads/2022/03/125742_S1_M2_24_nonclinical-overview.pdf]


Not Studied:

- 1. Secondary pharmacodynamics. P14¶1
- (2. Safety pharmacology: "No safety pharmacology studies were conducted with BNT162b2 as they are not considered necessary for the development of vaccines according to the WHO guideline (WHO, 2005)." P.14¶2
- 3. Pharmacodynamic Drug Interactions: "Nonclinical studies evaluating pharmacodynamic drug interactions with BNT162b2 were not conducted as they are not generally considered necessary to support development and licensure of vaccine products for infectious diseases (WHO, 2005)." P14¶3.
- 4. No pharmacokinetic studies were performed with BNT162b2 and "...are generally not considered necessary to support the development and licensure of vaccine products for infectious diseases (WHO, 2005, WHO, 2014)." P17¶1.
- (5) "The protein encoded by the RNA in BNT162b2 is expected to be proteolytically degraded like other endogenous proteins. RNA is degraded by cellular RNases and subjected to nucleic acid metabolism. Nucleotide metabolism occurs continuously within the cell, with the nucleoside being degraded to waste products and excreted or recycled for nucleotide synthesis. Therefore, no RNA or protein metabolism or excretion studies will be conducted." P20¶3
- Genotoxicity: "No genotoxicity studies are planned for BNT162b2 as the components of the vaccine construct are lipids and RNA are not expected to have genotoxic potential (WHO 2005)." P29 ¶3.
- (7. Carcinogenicity studies with BNT162b2 have not been conducted as the components of the vaccine are lipids and RNA and are not expected to have carcinogenic or tumorigenic potential." P29 ¶4. (WHO 2005)
- 8. Phototoxicity. P30.
- 9. Mechanistic studies. P30.
- 10. Target organ toxicity: "Based on data from the GLP repeat-dose toxicity studies, administration of BNT162b2 was well tolerated without any evidence of systemic toxicity." P31 ¶5.
- 11. Dependence. P31.
- 12. Metabolites. P31.
- 13. **Impurities. P31.**
- Microanatomy studies of blood vessels, heart, lungs, and brain are not documented.
- 15. Biodistribution of mRNA was not specifically studied.
- 6/Biodistribution and toxicity studies of mRNA S protein were not referenced.


Pfizer Document 5.3.6 Reissue: Adverse Events
Cumulative Analysis of Post-authorization Adverse Event Reports Through 28-Feb-2021,
Tables 1-7
ROBERT W. CHANDLER, MD MBA
JUN 30, 2022




Pfizer Document 5.3.6: Data Collection Completed 2/28/2021



Pfizer 5.3.6: Women Dominate Every Category of Adverse Events of Special Interest






https://cholecalciferol.substack.com/cp/137040476

RW Chandler MD MBA 5/30/24

Confirmation: Pfizer Appendix 2.1





RW Chandler MD MBA 5/30/24 17


Ovaries Concentrate LNP/mRNA More Than Testes

Reports of Female Sexual Dysfunction

(148,874/923,194)

Are More Prevalent

Than Male (1,745/358,919)





Female vs. Male Reproductive Disorders (RDs) After BNT162b2

Total # RDs Females	AEs	Total # RDs Males	1745 of 358,919 AEs
RDs as a Percent of Female AEs		RDs as a Percent of Male AEs	0.49%

AEs = Adverse Events


Female vs. Male Reproductive Organ Disorders BNT162b2 Appendix 2.1 April 16, 2022 N = 1,282,113






LNP/modRNA is active at Multiple Sites in Hypothalamic-Pituitary-Ovarian-Uterus System

19






Ovary: Lymphocytic Infiltration

https://www.researchgate.net/figure/The-hypothalamic-pituitary-ovarian-axis fig2 5280558


Uterus: Demonstration of Spike Protein






Change in F:M ratio of Adverse Events by Age: Females 6-29 Years









Women 18-49: 2.6x More Adverse Events and 2-3x Serious AEs in <3 years with C19 GTPs than in 19 Years All Vaccines

#280

Women Ages 18-49 All Vaccines 1990-2019 Vs C19 "Vaccines" 2020-2023



Serious Adverse Events Doubled or Tripled in 1/6th the Time
Pre Covid (19 years) vs Covid Drugs (<3 years)



Uterine/Ovarian Dysfunction after BNT162b2 As of 06/18/2022


Dx	N =	# Serious	% of Serious Cases
Vaginal hemorrhage	5,034	1,334	6%
Dysmenorrhea	15,319	3,768	18%
Heavy menstrual bleeding	30,500	6,375	30%
Menstruation irregular	16,535	2,811	13%
Menstruation delayed	15,101	2,416	11%
Menstrual disorder	24,427	2,369	11%
Amenorrhoea	12,404	1,141	5%
Polymenorrhea	10,668	896	4%
Total	129,988	21,111	


RW Chandler MD MBA

Dx	N =	Serious	% Serious
Excessive Bleeding	35,534	7,709	22%

5/30/24

Spontaneous Abortion: 1990-2020 All Vaccines 2021-2022 C19 Vaxes Only





5/30/24 https://www.scb.se/en/finding-statistics/statistics-by-subject-area/population/population-

Decline in European Birth Rate in 2022 Following C-19 Inoculation Rollout in 2021


- In a population of 159,745,448 Europeans aged 18-49 from 19 countries
 - 71% received 1st C-19 Vacc. 9 months prior to birth rate decline of 7%
 - The rate of vacc had a correlation coefficient = -0.522, p-value = 3.014E-14 with the birth decline (highly statistically significant).

- The higher the rate of vacc., the more the birth rate declined.
- Switzerland witnessed an alarming -8.7% decline
 - Statistical analysis was performed by two independent groups using two different statistical methods with similar findings.

RW Chandler MD MBA 5/30/24

Part 4: CoVax Disease: Organ System x Pathological Process

Organ System



Process

- Autoimmunity
- Coagulopathy/Vasculopathy
- Demyelination
- Inflammation
- Neoplasia
- Protein deposition
- Immunological disorder

J Clin Neurosci. 2023 Feb; 108: 37–75.

PMCID: PMC9780646
Published online 2022 Dec 23. doi: 10.1016/j.jocn.2022.12.015

PMID: 36586226

Co-VAN study: COVID-19 vaccine associated neurological diseases- an experience from an apex neurosciences centre and review of the literature

M.M. Samim, Debjyoti Dhar, Faheem Arshad, D.D.S. Anudeep, Vishal G. Patel, Sriram Ramalakshmi Neeharika, Kamakshi Dhamija, Chowdary Mundlamuri Ravindranath, Bavi Yadav, Pritam Raja, M. Netravathi, Deepak Menon, Vikram V. Holla, Nitish L. Kamble, Pramod K. Pal, Atchayaram Nalini, and Seena Vengalili

Urological-CoVax 28 Types of Urological & Renal Disease

Vudathaneni NK, Nadella SB, Hema D, Boyapati R. Renal complications following COVID-19 vaccination: A narrative literature review. Indian J Community Med 2023;48:214-9.


Review Article


Renal Complications Following COVID-19 Vaccination: A Narrative Literature Review

Vijaya Krishna Prasad Vudathaneni, Swetha Bharathi Nadella¹, Duddukuri Hema², Ramanarayana Boyapati³

Department of Medicine, Albert Einstein College of Medicine, New York, USA, ¹Baystate Medical Center, 759 Chestnut St, Springfield, MA, USA, ²Mamata Dental College, Giriprasad Nagar Colony, Khammam, Telangana, India, ³Department of Periodontology, Sibar Institute of Dental Sciences, Takkellapadu, Guntur, Andhra Pradesh, India

Multisystem Inflammatory Disease - Children: (MIS-C) 0-17 years: There Were NO Cases before 2021





RW Chandler MD MBA 5/30/24


14 y/o Female: BNT162b2 x 3 Sports: Middle School Athletic Team

29

- 9/12/2021: Dose 1 —— Arm Pain, No Fever
- 8/10/2022: Dose 3 --> Day After Fever = 37.9 °C
 - > Difficulty Breathing during night
 - Next AM Mother Found Child Not Breathing
 - ➤ Died 45 Hours After Third BNT162b2

Eight Organs: Inflammatory cells including CD3-positive T-cells and CD68 Infiltrating Macrophages

14 y/o girl




Nushida, et. al., https://doi.org/10.1016/j.legalmed.2023.10244
With Permission

RW Chandler MD MBA 5/30/24


5/30/24

Normal Heart Muscle (Left) compared with Myocarditis from LNP/mRNA (Right)




Columns of normal cardiac muscle are replaced by lymphocyte infiltration and degenerating muscle fibers.

Muscle Cell Nucleus



Acute and Chronic Myocarditis @ 1 Year 22 Year Old Male Athlete

Inflammatory cells




Case 85
M 22 Y
Athlete
1x Ja 1x Co
Death 364/238 d p.i.
by suicide

Right Ventricle

Fibrous tissue replacement of cardiac tissue.


Death by Suicide after he learned the seriousness of his illness

Left Ventricle with Scar Tissue + Ongoing Lymphocytic Infiltrate



5/30/24


In Addition to Cardiac Damage, An Aorta Aneurysm was Developing



CoVax Disease and Collateral Damage Suicide 581 Events


The Vaccine Adverse Event Reporting System (VAERS) Results

Data current as of 09/15/2023



Dosing Drives VAERS Event Reporting: Monthly Doses and VAERS Events





SUMMARY OUTPUT	
Regression Statistics	
Multiple R 0.861200	9
R Square 0.741666	99
Adjusted R Square 0.732099	1
Standard Error 20333.49	09
Observations 29	77

RW Chandler MD MBA

Consequences: Declining Population, Declining Health

- All cause mortality increased: 17-20 million deaths worldwide: Rancourt
- Live Births Decreased: Average decline of 8-10% in many countries
- Novel Drug Novel Disease
 - Aggressive: Turbo cancers rapid onset, nonresponsive
 - Severe: Insulin resistent diabetes
 - Unusual presentation: FLCs
 - Multiple organs simultaneously: MIS-A, MIS-C
 - Immune compromise: VAIDS
 - Birth Defects?
 - Heritability?

RW Chandler MD MBA

To Do:

- 1. Stop Use of mRNA Products Immediately.
- 2. Pass Legislation to Halt Censorship and Harassment so Medical and Scientific Professionals Can Study and Help the Injured.
- 3. Protect the Doctor Patient Relationship.
- 4. Promote Open Public Discussion with Expert Panels to Educate the Public and Medical Professionals.
- 5. Establish Centers to Collect patients with 'vaccine' harms for study and treatment.

5/30/24

Thank You for Allowing Me to Present the PDAP Women's Health Experience

