

Pfizer Recap: The Top Ten Most Devastating Revelations

The Pfizer COVID-19 ages 16+ vaccine clinical trial documents, which the pharmaceutical giant submitted to the Food and Drug Administration (FDA), are now publicly available online at <https://icandecide.org/pfizer-documents/>. Four years after the clinical trials began, the country and world still strive to understand what happened during the clinical trial, what will happen to those who took the shots, whether or not the “vaccine”-related harms can be addressed, and if similar drug rollouts and mandates can be prevented in the future. This is a distilled, yet comprehensive, look back at Pfizer’s clinical trial and the ten most devastating revelations so far about the Pfizer COVID “vaccine.”

- 1) Contaminated “vaccine” with DNA plasmids and SV-40 genetic segments
- 2) Delayed and obscured death reports during Pfizer’s clinical trial
- 3) Miscarriages and reproductive impairments
- 4) Myocarditis and other cardiac adverse events
- 5) Unblinding the placebo trial subjects almost 1.75 years early, sabotaging data
- 6) Bait and switch — Rolling out a minimally tested “vaccine” formula to the public instead of the main formula used in the trial
- 7) Debilitating and disabling adverse events
- 8) Bad batches of the “vaccine”
- 9) Vaccine-related “turbo cancers”
- 10) Use of risky lipid nanoparticles in the “vaccine” formula

#1 CONTAMINATED “Vaccine” with DNA Plasmids and SV-40 Genetic Segments

In late October 2023, news regarding Pfizer's coronavirus vaccine circulated widely after Health Canada's announcement about contamination of the vaccine. Health Canada, a governmental agency similar to the FDA, responded to inquiries prompted by findings from two esteemed scientists, [Kevin McKernan](#)¹ and [Phillip J. Buckhaults](#)². McKernan discovered extremely elevated levels of bacterial plasmid DNA in Pfizer's COVID-19 vaccine, which Buckhaults

¹ENDNOTES

¹“Kevin McKernan - CSO and Founder of Medicinal Genomics.” n.d. Medicinal Genomics. Accessed April 8, 2024. <https://medicinalgenomics.com/team/kevin-mckernan/>

²“Phillip Buckhaults - College of Pharmacy | University of South Carolina.” n.d. Sc.edu. Accessed April 8, 2024. https://sc.edu/study/colleges_schools/pharmacy/faculty-staff/buckhaults_phillip.php.

subsequently validated. Health Canada confirmed that Pfizer had disclosed information about the DNA sequences during its submission.^{3,4}

The presence of DNA fragments in Pfizer's "vaccine" is concerning because, if foreign DNA infiltrates into human cells, it can permanently alter human DNA and potentially lead to adverse events such as tumors and cancers.^{5,6} In addition, residual DNA may result in endotoxins being present in the vaccine, which can cause anaphylaxis or toxic shock.⁷

During Pfizer's clinical trial, involving [over 46,000 subjects](#), the company used a manufacturing process referred to as 'Process 1,' a polymerase chain reaction (PCR) product generated RNA from an in vitro transcription process, to produce the BNT162b2 "vaccine." PCR is a technique to replicate segments of DNA.

However, for mass production to be rolled out to the public, Pfizer employed a different manufacturing process from Process 1; its 'Process 2' formula, utilizing an additional outside commercial plasmid that required DNA extraction, was tested on only about 250 subjects.⁸

Pfizer mentioned plasmids in its own documents, and the FDA made reference to evaluating Pfizer's "residual DNA."⁹ In Pfizer's documentation submitted to the FDA's Center for Biologic Evaluation and Research (CBER), it noted that a separate, outside document described the plasmid the company would use.¹⁰ One of Pfizer's own online sources admitted to using plasmid DNA for mass production scaling up: "To produce the spike mRNA in the COVID-19 vaccine, plasmid DNA is utilized as a building block, or what is referred to as starting material.

³³ McKernan, Kevin, Yvonne Helbert, Liam T. Kane, and Stephen McLaughlin. 2023. "Sequencing of Bivalent Moderna and Pfizer mRNA Vaccines Reveals Nanogram to Microgram Quantities of Expression Vector DsDNA Per Dose." OSF Preprints (OSF Preprints), April. <https://doi.org/10.31219/osf.io/b9t7m>.

⁴ "Dr. Phillip Buckhault's Testimony on DNA Contamination in Pfizer's mRNA Vaccine." n.d. Rumble.com. <https://rumble.com/v3kcmr4-dr.-phillip-buckhaults-testimony-on-dna-contamination-in-pfizers-mrna-vacci.html>. (South Carolina Senate hearing of 9/10/2023). Osf.io. 2023. <https://osf.io/b9t7m/>. (McKernan study, April 2023).

⁵ "Probably the Most Important Topic of Our Time": DNA Contaminants in COVID Shots Can Trigger Cancer, Alter Human Genome." n.d. Children's Health Defense. <https://childrenshealthdefense.org/defender/covid-vaccines-dna-contamination/>.

⁶ "Dr. Phillip Buckhault's Testimony on DNA Contamination in Pfizer's mRNA Vaccine." At minutes .59-3:52, 4:39-5:36.

⁷ "Some Pfizer Vaccines Were Contaminated — What Does That Mean for Millions Who Got the Jab?" n.d. Children's Health Defense. Accessed May 22, 2024. <https://childrenshealthdefense.org/defender/pfizer-covid-vaccine-contaminated-gmo/>.

⁸ "Dr. Phillip Buckhault's Testimony on DNA Contamination in Pfizer's mRNA Vaccine." (At minute 11:39 to 12:17, Dr. Phillip Buckhaults explains Pfizer's process 1; at minute 12:28 to 12:56, he explains Pfizer's Process 2 vaccine manufacturing method).

⁹ "COVID-19 Vaccine (BNT162, PF-07302048), BLA 125742/0. Response to 02 Jul 2021 FDA queries -CMC information and categorical exclusion for an environment analysis"; https://www.phmpt.org/wp-content/uploads/2023/11/125742_S19_M1_response-02jul2021.pdf. Pgs. 23-24.

¹⁰ "BNT162b2 2.3 Introduction, FDA-CBER-2021-5683-1149009." https://www.phmpt.org/wp-content/uploads/2023/11/125742_S2_M2_introduction.pdf. Pg. 5.

Non-infectious fractions of an SV40 sequence are present in the starting material used by Pfizer and BioNTech."¹¹

Pfizer used 'Process 2' to manufacture its COVID drug for public distribution and aimed to remove residual DNA fragments and inflammatory endotoxins.^{12,13} However, according to McKernan and Buckhaults, the cleanup process was inadequate.¹⁴ Referencing a May 2024 study,¹⁵ Kevin McKernan said, "We are no longer debating whether the shots are contaminated." "We're just debating whether they are 10-fold or 100-fold over the limit and how much they vary from lot to lot."¹⁶ Another study reports finding up 500 times the permissible level of DNA impurities in Pfizer's Comirnaty.^{17,18} As Pfizer's emergency use authorized COVID-19 vaccine (BNT162b2) and Comirnaty, the fully approved FDA version, have the same ingredients but are "legally distinct," it follows that many in the U.S. may have taken shots tainted with excessive DNA.¹⁹

The FDA and World Health Organization (WHO) state that residual DNA in a single vaccine dose should not surpass 10 nanograms (ng), one billionth of a gram. Pfizer claims the residual DNA in its vaccine is within standard regulatory guidance and that there are no cancer-causing genes (i.e., oncogenes) in its starting material. However, scientists found billions to hundreds of

¹¹ Pfizer. n.d. "Health Misinformation: Fighting Harmful Effects of COVID Vaccine Misinformation | Pfizer." [www.pfizer.com](https://www.pfizer.com/about/responsibility/misinformation). <https://www.pfizer.com/about/responsibility/misinformation>. (see paragraph "Does the COVID-19 vaccine cause cancer?")

¹² Demasi, Maryanne. 2023. "FDA Shuts down Enquiries about DNA Contamination in COVID Vaccines * Brownstone Institute." Brownstone Institute. November 28, 2023. <https://brownstone.org/articles/fda-shuts-down-enquiries-about-dna-contamination-in-covid-vaccines/>.

¹³ Flowers, Chris; Delph, Erika; Clark, Ed; and Team 3 War Room/DailyClout Pfizer Documents Investigators. 2023. "Report 86: Pfizer's Clinical Trial 'Process 2' COVID Vaccine Recipients Suffered 2.4X the Adverse Events of Placebo Recipients; 'Process 2' Vials Were Contaminated with DNA Plasmids." DailyClout. October 6, 2023. <https://dailyclout.io/pfizer-process-2-vaccine-had-2-4-times-adverse-events/>.

¹⁴ "Campbell Interview with Dr. Josh Guetzkow - Search Videos." n.d. <https://www.bing.com/videos/riverview/relatedvideo?q=campbell+interview+with+dr.+josh+guetzkow&mid=4BDBE7F12ACC2F17D4AC4BDBE7F12ACC2F17D4AC&FORM=VIRE>. (See minutes 0:55 to 5:37).

¹⁵ König, Brigitte, and Jürgen O Kirchner. 2024. "Methodological Considerations Regarding the Quantification of DNA Impurities in the COVID-19 MRNA Vaccine Comirnaty®." *Methods and Protocols* 7 (3): 41–41. <https://doi.org/10.3390/mps7030041>.

¹⁶ "DNA Contamination in Pfizer COVID Vaccine Exceeded 500 Times Allowable Levels, Study Finds." n.d. Children's Health Defense. Accessed May 22, 2024. https://childrenshealthdefense.org/defender/dna-contamination-pfizer-covid-vaccine-exceeded-500-times-allowable-levels/?utm_source=luminare&utm_medium=email&utm_campaign=defender&utm_id=20240516.

¹⁷ "DNA Contamination in Pfizer COVID Shot 500 Times Permissible Level: New Study." 2024. Infowars. May 20, 2024. <https://www.infowars.com/posts/dna-contamination-in-pfizer-covid-shot-500-times-permissible-level-new-study/>.

¹⁸ König, Brigitte, and Jürgen O Kirchner. 2024. "Methodological Considerations Regarding the Quantification of DNA Impurities".

¹⁹ Dwilson, Stephanie Dube. 2021. "Comirnaty vs Pfizer Vaccine: Pfizer Comments on 'Legally Distinct' Wording." Heavy.com. August 26, 2021. <https://heavy.com/news/comirnaty-vs-pfizer-vaccine-legally-distinct/>.

billions of DNA molecules per dose of Pfizer's vaccine, exceeding the FDA and WHO guidelines.²⁰ A comparability study of Pfizer's Process 1 and Process 2 formulas – both tested in their clinical trials – should have been conducted, but Pfizer never conducted one.²¹ From the Pfizer documents, analysts have determined that the clinical trial subjects who took the Process 2 formula suffered 2.4 times more adverse events than the placebo participants.²² The ratio of adverse events suffered by Process 2-vaccinated persons suggests that the contamination of the Process 2 formula caused more harm than the Process 1 formula.

The SV-40 segment. Pfizer also failed to disclose to the Canadian agency that the vaccine also contained a Simian Virus 40 (SV-40) sequence, an enhancer.²³ The SV-40 protomer sequence has potential to turn on gene expression, including cancer-causing genes. In the 1960s, the whole SV-40 sequence was found in polio vaccines, and it caused a wave of cancers. Thus, learning of the presence of the SV-40 sequence in the Pfizer COVID vaccine alarmed millions worldwide who had already taken it. Multiple independent laboratories have since corroborated the contamination findings.

There is a "significant excess risk of SV40 associated with human primary brain cancers, primary bone cancers, malignant mesothelioma, and non-Hodgkin's lymphoma."^{24,25} Using a "small piece of [SV-40] DNA" has been utilized in vaccine manufacturing for decades as an enhancer to facilitate DNA transcription,²⁶ the process of copying DNA information onto an mRNA molecule.²⁷

Manufacturing Facilities & Adverse Events. The contamination data raised questions about what standard FDA inspections of Pfizer's manufacturing facilities revealed. In response to a FOIA request and related lawsuit, the FDA withheld some 16,000-plus pages of documentation,

²⁰ Demasi, Maryanne. 2023. "FDA Shuts down Enquiries about DNA Contamination in COVID Vaccines * Brownstone Institute." Brownstone Institute. November 28, 2023. <https://brownstone.org/articles/fda-shuts-down-enquiries-about-dna-contamination-in-covid-vaccines/>.

²¹ Ibid.

²² Flowers, Chris; Delph, Erika; Clark, Ed; and Team 3 War Room/DailyClout Pfizer Documents Investigators. 2023. "Report 86: Pfizer's Clinical Trial 'Process 2' COVID Vaccine Recipients Suffered 2.4X the Adverse Events".

²³ "'An Admission of Epic Proportions': Health Canada Confirms DNA Plasmid Contamination of COVID Vaccines." n.d. Children's Health Defense. <https://childrenshealthdefense.org/defender/canada-dna-contamination-pfizer-covid-vaccine/>.

²⁴ Vilchez, Regis A, and Janet S Butel. 2003. "SV40 in Human Brain Cancers and Non-Hodgkin's Lymphoma." *Oncogene* 22 (33): 5164–72. <https://doi.org/10.1038/sj.onc.1206547>.

²⁵ Vilchez, Regis A., and Janet S. Butel. 2004. "Emergent Human Pathogen Simian Virus 40 and Its Role in Cancer." *Clinical Microbiology Reviews* 17 (3): 495–508. <https://doi.org/10.1128/CMR.17.3.495-508.2004>.

²⁶ "EXCLUSIVE: Health Canada Confirms Undisclosed Presence of DNA Sequence in Pfizer Shot." n.d. The Epoch Times. <https://www.theepochtimes.com/world/exclusive-health-canada-confirms-undisclosed-presence-of-dna-sequence-in-pfizer-shot-5513277>.

²⁷ Nature Education. 2014. "Transcription / DNA Transcription | Learn Science at Scitable." Nature.com. 2014. <https://www.nature.com/scitable/definition/transcription-dna-transcription-87/>.

based upon the statutory exemption for trade secrets, that is assumed by the attorneys receiving the produced documents to be quality control documentation.²⁸ That quality control data could shed light on how contamination occurred and what needed to be corrected in the process to completely filter out the DNA plasmids.

Many very serious diagnoses are listed on Pfizer's own post-marketing report released 90 days after its COVID-19 vaccine hit the market in the United Kingdom and should have precipitated the withdrawal of Pfizer's vaccine from the market.²⁹ The Surgeon General of Florida, Dr. Joseph Ladapo, is one voice who has sought an end to the use of COVID mRNA vaccines due to the DNA and SV-40 enhancer/promoter, but he has not yet been successful.³⁰ Remedial paths are available for correcting challenges with problematic drugs. Drugs can and have been pulled from the market before, and pharmaceutical companies have entered into large settlement agreements in the past.^{31,32}

#2 Pfizer OBSCURED Reports of DEATHS during its Clinical Trials

In its clinical trial, Pfizer reported deaths in Case Report Forms (CRFs), which contain detailed individual subjects' medical narratives. Pfizer failed to include all clinical trial deaths in the data it submitted to the FDA when seeking emergency use authorization. Pfizer knew several deaths had occurred prior to the EUA submission data cut-off date but did not enter that death information into the subjects' CRFs until after the data cut-off date, thus ensuring they did not get submitted to the FDA.

The FDA decided the Pfizer vaccine met the required evidence of effectiveness on the comparison of COVID disease symptoms among the vaccinated compared to the placebo group. After observing participants for a week after a two-dose vaccine series, eight people in the vaccinated group had COVID, and 162 in the placebo group had COVID.³³

When the FDA reviewed Pfizer's data, the agency saw death data as of November 14, 2020, included six clinical trial deaths – four in the placebo arm, and two in the vaccine arm.³⁴

²⁸ Kelly, Amy. 2023. "Amid Revelations of Contamination, DailyClout Finds: FDA Withheld 16,000+ Pages of Quality Control Documentation for Pfizer mRNA Vaccine, Citing 'Trade Secrets.'" DailyClout. October 26, 2023. <https://dailyclout.io/fda-withholds-over-16000-pages-of-pfizers-mrna-covid-vaccine-module-3-quality-documentation/>.

²⁹ "5.3.6 CUMULATIVE ANALYSIS of POST-AUTHORIZATION ADVERSE EVENT REPORTS of PF-07302048 (BNT162B2) RECEIVED through 28-FEB-2021 Report Prepared By: Worldwide Safety Pfizer." 901AD. https://www.phmpt.org/wp-content/uploads/2022/04/reissue_5.3.6-postmarketing-experience.pdf. (See pp. 30-38).

³⁰ "Florida State Surgeon General Calls for Halt in the Use of COVID-19 mRNA Vaccines | Florida Department of Health." n.d. [www.floridahealth.gov](https://www.floridahealth.gov/newsroom/2024/01/20240103-halt-use-covid19-mrna-vaccines.pr.html). <https://www.floridahealth.gov/newsroom/2024/01/20240103-halt-use-covid19-mrna-vaccines.pr.html>.

³¹ "List of Withdrawn Drugs." 2020. Wikipedia. May 4, 2020. https://en.wikipedia.org/wiki/List_of_withdrawn_drugs.

³² Wikipedia Contributors. 2019. "List of Largest Pharmaceutical Settlements." Wikipedia. Wikimedia Foundation. December 15, 2019. https://en.wikipedia.org/wiki/List_of_largest_pharmaceutical_settlements.

³³ "Emergency Use Authorization (EUA) for an Unapproved Product Review Memorandum." Pgs. 23, 28, 31.

³⁴ "Emergency Use Authorization (EUA) for an Unapproved Product Review Memorandum." Pg. 43.

Although Pfizer was obligated to report all deaths promptly, it delayed reporting some deaths. Pfizer’s protocol and FDA regulations called for reporting clinical trial deaths as soon as possible but no later than 15 days after death.³⁵ Pfizer knew about additional deaths before the EUA data cut-off date, by 26 days and 37 days respectively. A peer-reviewed study shows that, in fact, more vaccine recipients than placebo subjects died prior to the granting of the EUA on December 11, 2020.³⁶ With the incomplete data, the FDA had a basis for saying that the vaccine prevented COVID-19 [and deaths] more effectively than did a placebo.^{37,38} Dr. Jeyanthi Kunadhasan, one of the DailyClout Pfizer document analysts, and an author on the peer-reviewed published article, condensed the crucial Pfizer omission of deaths in a seven-minute educational video report.³⁹ There, the data are broken down, showing 11 deaths occurred before the data cut-off date, six in the vaccinated group, and five in the placebo group.

Missed Cardiac Signal. Pfizer’s delayed death reports caused another problem. Moderna’s then ongoing clinical trial had enough incidences of cardiac arrest to be labeled a ‘signal,’ i.e., a suspected adverse event related to its vaccine. All of Pfizer’s clinical trial deaths included cardiac issues.⁴⁰ Had the correct Pfizer data, revealing its cardiac signal, been submitted to the FDA, the agency may have been more alert to Moderna’s cardiac adverse events.

The prestigious *New England Journal of Medicine (NEJM)* erroneously published, “Two BNT162b2 recipients died (one from arteriosclerosis, one from cardiac arrest), as did four placebo recipients.” Pfizer never corrected that statement, despite its knowledge that *at least six additional clinical trial vaccine recipients died* prior to the granting of EUA.⁴¹ Even more critically, the *NEJM* article was subsequently cited over 9,000 times, aiding the spread of

³⁵ Code of Federal Regulations FDA citations: 21 CFR 312.32(c); 21 CFR 600.80(c)(1)(i).

³⁶ Michels, Corinne A, Daniel Perrier, Jeyanthi Kunadhasan, Edward C Clark, Joseph Gehrett, Barbara Gehrett, K Kwiatek, et al. 2023. “Forensic Analysis of the 38 Subject Deaths in the 6-Month Interim Report of the Pfizer/BioNTech BNT162b2 mRNA Vaccine Clinical Trial.” *International Journal of Vaccine Theory Practice and Research* 3 (1): 973–1008. <https://doi.org/10.56098/ijvtp.v3i1.85>. (See Table 3, page 22).

³⁷ “Emergency Use Authorization (EUA) for an Unapproved Product Review Memorandum.” Pg. 23.

³⁸ Kelly, Amy. 2023. “Report 89: BOMBSHELL - War Room/DailyClout Researchers Find Pfizer Delayed Recording Vaccinated Deaths at Critical Juncture of EUA Process. Improper Delays in Reporting Deaths in the Vaccinated Led FDA to Misstate Vaccine’s Effectiveness, Influenced EUA Grant Decision.” DailyClout. October 16, 2023. <https://dailyclout.io/fda-granted-pfizer-eua-based-on-misrepresented-data/>.

³⁹ “REEL: ‘Dr. Jeyanthi Kunadhasan: Undisclosed Deaths in COVID-19 Vaccine Trial.’” n.d. Rumble.com. Accessed May 5, 2024. <https://rumble.com/v4sgye5-reel-dr.-jeyanthi-kunadhasan-undisclosed-deaths-in-covid-19-vaccine-trial.html>.

⁴⁰ Kelly, Amy. 2023. “Report 84: War Room/DailyClout Research Team Breaks Huge Story: More Cardiovascular Deaths in Vaxxed than Unvaxxed; Pfizer Did Not Report Adverse Event Signal; Death Reporting Delays Favored Pfizer/Vaccinated.” DailyClout. September 5, 2023. <https://dailyclout.io/report-84-warroom-dailyclout-research-team-breaks-huge-story/>.

⁴¹ Polack, Fernando P., Stephen J. Thomas, Nicholas Kitchin, Judith Absalon, Alejandra Gurtman, Stephen Lockhart, John L. Perez, et al. 2020. “Safety and Efficacy of the BNT162b2 mRNA COVID-19 Vaccine.” *New England Journal of Medicine* 383 (27): 2603–15. <https://doi.org/10.1056/nejmoa2034577>.

inaccurate safety information among health care practitioners.⁴² This false information gave medical practitioners unfounded confidence in the safety of the Pfizer vaccine, and they probably encouraged patients to take it.

In the 90 days following the beginning of public vaccination, Pfizer received reports of 1,223 people who died after receiving its COVID-19 shot.⁴³ By October 2022, the number of Pfizer doses administered in the U.S. was over 375 million (375,644,351),⁴⁴ including single doses and the two-dose regimen. Thus, a significant segment of the 333 million American population received Pfizer's shots. A large percentage of them may be included in the excess death data identified by Edward Dowd.

A former Wall Street analyst, Mr. Dowd is the author of *Cause Unknown: The Epidemic of Sudden Deaths in 2021 and 2022*. Dowd calculated excess deaths after mass COVID vaccinations in the U.S. For ages 25 to 64, Dowd found a 23% excess mortality rate for the combined years of 2021 and 2022. That translated to the excess deaths of an estimated 300,000 individuals in that age group and time period.⁴⁵ In the European Union (EU), by April 2023, a cumulative number of 8,368 people had died following Pfizer vaccination, an increase over the prior year's 1,023 deaths.⁴⁶ Even with such shocking information, the Centers for Disease Control and Prevention (CDC), in 2024, continues to recommend mRNA COVID-19 vaccines for all age groups.⁴⁷

3 Post-Pfizer “Vaccine” Miscarriages and Reproductive Impairments Increased

⁴² Ibid.

⁴³ Hammill, Lora; Shaw, David; Flowers, Chris; Britt, Loree; Gehrett, Joseph; Gehrett, Barbara ; Cibelli, Michelle; Turoski, Margaret; Papillon, Cassie B.; and Damian, Tony. 2023. “Report 87: In Early 2021, Pfizer Documented Significant Harms and Deaths Following Vaccination with Its mRNA COVID Vaccine. The FDA Did Not Inform the Public.” DailyClout. October 10, 2023. <https://dailyclout.io/pfizer-documented-significant-harms-and-deaths-the-fda-did-not-inform-the-public/>.

⁴⁴ “Tracking COVID-19 Vaccine Distribution by State: How Many People Have Been Vaccinated in the US?” n.d. www.usatoday.com. <https://www.usatoday.com/in-depth/graphics/2021/01/14/covid-vaccine-distribution-by-state-how-many-covid-vaccines-have-been-given-in-us-how-many-people/6599531002/>. (See “Chart: How many shots from each vaccine manufacturer have been administered?”).

⁴⁵ Counsel, Liberty. 2023. “COVID Shot Damage Report Reveals Alarming Human and Economic Cost.” The Desert Review. April 1, 2023. https://www.thedesertreview.com/news/covid-shot-damage-report-reveals-alarming-human-and-economic-cost/article_ed018d68-cfd9-11ed-bf86-778a24da12c2.html.

⁴⁶ JORON, Virginie. 2023. “Parliamentary Question | How Many Deaths Have Been Caused by ‘COVID Vaccines’? | E-001201/2023 | European Parliament.” www.europarl.europa.eu. April 13, 2023. https://www.europarl.europa.eu/doceo/document/E-9-2023-001201_EN.html.

⁴⁷ “CDC Director Expects New Version of COVID Shot in Fall.” n.d. www.youtube.com. Accessed April 10, 2024. https://www.youtube.com/watch?v=HRfb2DnFWSE&ab_channel=BloombergTelevision.

Pfizer's partner, BioNTech completed a fertility and developmental study using 44 vaccinated Wistar Han rats and their offspring, which were euthanized, and fetuses were examined.⁴⁸ Half of the pregnant rodents delivered naturally, and the offspring were observed for 21 days – a time frame that is too-short to detect many developmental issues, safety concerns, or fertility findings.⁴⁹

The whole study was completed quickly, in only 42 days. It seems that a key purpose was to enable Pfizer to later mention this study in a fact sheet for vaccination providers. On page 35 of its fact sheet for vaccinators, Pfizer acknowledged that it did not have sufficient data on human pregnant subjects to be able to inform women on vaccination-associated risks in pregnancy.⁵⁰ Thus, the fact sheet referred to the rat study stating the rats received the same dose as humans were then being given without any observed adverse effects.

Pregnant women were excluded as subjects in the clinical trial, and all participants were advised to use two forms of birth control during the trial.⁵¹ In spite of Pfizer's efforts to keep pregnant women out of the clinical trial, in its post-marketing report, there had been 270 unique mother pregnancy cases and four foetus/baby cases in its study, per Table 6, labeled "Description of Missing Information."⁵² Of the pregnant women, 238 cases were listed as "no outcome provided;" 23 as spontaneous abortions (i.e., miscarriages); and two additional spontaneous abortions, one with neonatal death and one with intrauterine death. That means at least 25 post-vaccination miscarriages occurred.

In Pfizer's request for emergency use authorization (EUA), it did not supply any pregnant women data but pledged to conduct safety and observation/evaluation studies after EUA approval.⁵³ In February 2021, Pfizer began preparing the study, intending to include 4,000 subjects. However, Pfizer only recruited 349. Pregnant women were already taking the vaccine,

⁴⁸ "A Combined Fertility and Developmental Study (Including Teratogenicity and Postnatal Investigations) of BNT162b1, BNT162b2 and BNT162b3 by Intramuscular Administration in the Wistar Rat GLP Study SPONSOR: BioNtech SE 12 an Der Goldgrube." n.d. Accessed April 13, 2024.
https://pdata0916.s3.us-east-2.amazonaws.com/pdocs/110122/125742_S1_M4_20256434.pdf#page=1121.

⁴⁹ DailyClout. 2022. "Report 07: COVID-19 Vaccines and Pregnancy: Risky Business." DailyClout. May 18, 2022.
<https://dailyclout.io/covid-19-vaccines-pregnancy-risky-business/>. (See also pg.69, Team, Investigation. 2023. War Room / DailyClout Pfizer Documents Analysis Reports.)

⁵⁰ "FACT SHEET FOR HEALTHCARE PROVIDERS ADMINISTERING VACCINE (VACCINATION PROVIDERS) EMERGENCY USE AUTHORIZATION (EUA) OF THE PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE 2019 (COVID-19)." <https://labeling.pfizer.com/ShowLabeling.aspx?id=17970>. (See section 11.1, pg. 35, "Pregnancy, Risk Summary.")

⁵¹ "Emergency Use Authorization (EUA) for an Unapproved Product Review Memorandum." Pg. 41.

⁵² "5.3.6 CUMULATIVE ANALYSIS of POST-AUTHORIZATION ADVERSE EVENT REPORTS of PF-07302048 (BNT162B2) RECEIVED through 28-FEB-2021." Pg. 12; Note: within the 274 cases – 270 mother cases and four foetus/baby cases – of pregnancy, 2 different outcomes were reported for a set of twins.

⁵³ "Emergency Use Authorization (EUA) for an Unapproved Product Review Memorandum." Pgs. 45-46.

and the CDC endorsed the vaccine for pregnant women in April 2021; therefore, Pfizer halted its pregnancy vaccine study.⁵⁴

By July 2021, Pfizer sought a Biologics License Application (BLA) with updated data.⁵⁵ The data is apparently cumulative, from December 2020 through July 2021. Fourteen pregnant women were hospitalized, and five suffered the deaths of their babies. There were 205 pregnant subjects with outcomes reported only as “resolve/resolving,” another 64 recorded as “not resolved,” four more with “resolved with sequelae,” and a shocking 849 noted as simply “unknown/no data.” Pfizer’s pregnant women data is set out in an ambiguous manner, which could be read as lacking information on more than 1,000 pregnant women.

The VAERS data on pregnant women who suffered miscarriages after taking the Pfizer COVID vaccine were somewhat sparse in 2022. One of the most striking revelations derived was that among all of pregnant women who suffered miscarriages from December 2020 through March 2022, who also received a COVID vaccine, about 75% of them (2,557/3,414) had taken a Pfizer vaccine.⁵⁶ Among vaccine-related miscarriages over the prior 30-year period, a remarkable 76% of them happened to women who had received a COVID-19 vaccine.

Among 567 cases of Pfizer post-vaccine miscarriages from December 2020 through December 2021, 96 spontaneous abortions (37.1% of cases) occurred in less than 24 hours after taking the vaccine. Six particular lots of Pfizer’s vaccine showed a significantly higher miscarriage rates among those 567 cases. Those six batches accounted for 13.3% of the total number of Pfizer vaccine-related miscarriages reported in this time frame.⁵⁷

In December of 2022, U.S. Senator Ron Johnson held a public roundtable for scientists and medical experts to make brief presentations on the COVID-19 vaccines. Dr. James Thorp, an OB/GYN specialist with over 40 years’ experience, commented that in his practice, after patients’ mRNA vaccinations, he witnessed a substantial increase in menstrual abnormalities, infertility, miscarriage, fetal death, and fetal malformations.⁵⁸ Consistent with his comment is

⁵⁴ “Why Did Pfizer Halt COVID Vaccine Clinical Trials for Pregnant Women?” 2023. Children’s Health Defense. 2023. <https://childrenshealthdefense.org/defender/pfizer-covid-vaccine-clinical-trials-pregnant-women-cola/>.

⁵⁵ “BNT162b2 1.16 Risk Management Plan (Non-REMS) for Biologic License Application # 125742 PHARMACOVIGILANCE PLAN for BIOLOGIC LICENSE APPLICATION #125742 of COVID-19 MRNA Vaccine (Nucleoside Modified) (BNT162b2, PF-07302048) Date of Report: 28 JULY 2021 Version 1.1.” n.d. https://phmp.org/wp-content/uploads/2023/01/125742_S21_M1_pharmacovigilance-plan.pdf.

⁵⁶ Ziminsky, Maria and Wahl, Linnea. 2022. “Report 48: VAERS - 76% of Vaccine-Related Miscarriages from the Past 30 Years Occurred Once Pregnant Women Started Receiving COVID-19 Vaccines.” DailyClout. December 1, 2022. <https://dailyclout.io/miscarriages-in-covid-19-vaccinated-mothers-as-reported-in-vaers/>.

⁵⁷ Clark, Ed. 2022. “Report 32: If Pfizer Controlled the ‘Data’ They Controlled the Outcome.” DailyClout. June 28, 2022. <https://dailyclout.io/if-pfizer-controlled-the-data-they-controlled-the-outcome/>.

⁵⁸ “Please Share This Video: COVID-19 Vaccines Roundtable Highlights with Senator Ron Johnson.” n.d. Rumble.com. Accessed April 3, 2023. <https://rumble.com/v20hgiq-please-share-this-video-covid-19-vaccines-roundtable-highlights-with-senato.html>. (See minutes 19:26-20:00).

2021 data from the Department of Defense indicating that congenital malformations increased dramatically after COVID vaccines were mandated in the Armed Forces. The rate of congenital malformations had been relatively steady from 2016 through 2020. In 2020, the number was 10,153, but in 2021 it shot up to a shocking 18,951.⁵⁹

In a February 2024 video interview, Dr. Kimberly Biss, an experienced OBGYN physician who collected and analyzed data from her own practice, reported that, after the mRNA injection rollout, miscarriages tripled.⁶⁰

Data from Canada's nationalized medical insurance system for pre-COVID Ontario (2015-2020) was compared to Ontario COVID vaccination years' data (2021-2022). In a data set of approximately six million unique patients, the increased impairments to men and women's reproductive systems were reportedly "catastrophic."⁶¹ The Ontario data show that there were 540 more medical complaints of inflamed fallopian tubes, ovaries, and pelvic inflammatory in the first two years of COVID vaccination than during the dataset's pre-vaccination years. Menstruation disorders increased by nearly 10,000 after the COVID-19 shots became publicly available. After the mRNA shots, menopause/post-menopausal bleeding increased by more than 22,000 cases; spontaneous and incomplete abortions together increased in Ontario by 5,397 after mRNA injections; and infertility among men and women went from the pre-publicly available COVID vaccination number of 94,039 up to 112,450 after it became available – a marked increase of 18,411.⁶²

#4 Reports Linked Pfizer's "Vaccine" to Myocarditis and other Cardiac issues.

Myocarditis may be the most well-known adverse event from the Pfizer vaccine. This medical condition is an inflammation around the heart, a serious adverse event (SAE), that can "[weaken] the heart so that the rest of the body doesn't get enough blood. Clots can form in the heart, leading to a stroke or heart attack."⁶³

Chronology of Pfizer's Reports. When Pfizer sought the EUA approval, the FDA assessed its data on November 20, 2020, and noted that, in the vaccinated group, there was only a 0.02% higher number of the serious adverse event acute myocardial infarction. The other SAEs were

⁵⁹ DailyClout. 2022. "Report 07: COVID-19 Vaccines and Pregnancy: Risky Business." DailyClout. May 18, 2022.

⁶⁰ Hildreth, Kate. 2024. "Miscarriage Rate TRIPLES Following Rollout of MRNA Injection." DailyClout. February 16, 2024. <https://dailyclout.io/miscarriage-rate-triples-following-rollout-of-mrna-injection/>.

⁶¹ Kelly, Amy. 2024. "Canadian Gov't Database Reveals Catastrophic Reproductive Damage to Men and Women Post-MRNA Vaccine Rollout." DailyClout. April 29, 2024. <https://dailyclout.io/canadian-govt-database-reveals-catastrophic-reproductive-damage-to-men-and-women-post-mrna-vaccine-rollout/>.

⁶² Kelly, Amy. 2024. "Canadian Gov't Database Reveals Catastrophic Reproductive Damage to Men and Women Post-MRNA Vaccine Rollout." Section: Infertility chart (OHIP Code 628).

⁶³ "Myocarditis - Symptoms and Causes." n.d. Mayo Clinic. Accessed December 7, 2021. <https://www.mayoclinic.org/diseases-conditions/myocarditis/symptoms-causes/syc-20352539>.

generally spread evenly between the vaccinated and placebo groups, “including no imbalance overall in cardiovascular serious adverse events.”⁶⁴ Approximately 90 days later, Pfizer reported 1,403 cases of “cardiovascular events” in its cumulative analysis of post-EUA adverse events with breakout subcategory numbers of: tachycardia, 1,098; arrhythmia, 102; myocardial infarction, 89; cardiac failure, 80; acute myocardial infarction, 41; cardiac failure acute, 11; cardiogenic shock and postural orthostatic tachycardia syndrome (POTS), 7 each; and coronary artery disease, 6.⁶⁵ Finally, by July 2021, Pfizer submitted its pharmacovigilance plan for a biologics license. In it, the company reported 490 myocarditis-related cases and 371 pericarditis-related events, among which there were three deaths, 213 “resolved/resolving” cases, 63 “not resolved” cases, seven “resolved with sequelae,” and 86 “unknown/no data”.⁶⁶

In 2021, worldwide reports about people dying suddenly became commonplace, especially among young, male athletes. Cases of myocarditis continued to arise, although not directly linked to the sudden deaths, and the public learned Pfizer had listed myocarditis and pericarditis on its July 2021 Pharmacovigilance plan.⁶⁷ These factors may have spurred Pfizer to conduct an internal inquiry about the concerning incidences of myocarditis and pericarditis.^{68,69}

Pfizer’s February 11, 2022, investigatory report on myocarditis and pericarditis of vaccinated persons concluded that the reason(s) for these conditions, rising since April 2021 and primarily among males under age 29, “remain unknown.”⁷⁰ Pfizer quietly kept its report on myocarditis and pericarditis in-house, labeling it “confidential” until journalistic organization, Project Veritas published it in March 2023.

⁶⁴ “Emergency Use Authorization (EUA) for an Unapproved Product Review Memorandum.” Pg. 40.

⁶⁵ “5.3.6 CUMULATIVE ANALYSIS of POST-AUTHORIZATION ADVERSE EVENT REPORTS of PF-07302048 (BNT162B2) RECEIVED through 28-FEB-2021.” (reissue) Pg. 16.

⁶⁶ “BNT162b2 1.16 Risk Management Plan (Non-REMS) for Biologic License Application # 125742 PHARMACOVIGILANCE PLAN.” Pgs. 47-50.

⁶⁷ BNT162b2 1.16 Risk Management Plan (non-REMS) for Biologic License Application # 125742 PHARMACOVIGILANCE PLAN FOR BIOLOGIC LICENSE APPLICATION # 125742 OF COVID-19 vaccine (nucleoside modified) (BNT162b2, PF-07302048) Date of Report: 28 JULY 2021 Version 1.1.
https://phmpf.org/wp-content/uploads/2023/01/125742_S21_M1_pharmacovigilance-plan.pdf
(Pfizer submission to FDA-CBER) (See pp. 47-50)

⁶⁸ CDC. 2020. “COVID-19 Vaccination.” Centers for Disease Control and Prevention. February 11, 2020.
<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/safety/myocarditis.html>.

⁶⁹ <https://www.projectveritas.com>. 2023. “BREAKING: Confidential Pfizer Documents Reveal Pharmaceutical Giant Had ‘Evidence’ Suggesting ‘Increased Risk of Myocarditis’ Following COVID-19 Vaccinations in Early 2022 | Project Veritas.” www.projectveritas.com. March 16, 2023.
<https://www.projectveritas.com/news/breaking-confidential-pfizer-documents-reveal-pharmaceutical-giant-had>.

⁷⁰ <https://www.projectveritas.com>. 2023. “BREAKING: Confidential Pfizer Documents Reveal Pharmaceutical Giant Had ‘Evidence’ Suggesting ‘Increased Risk of Myocarditis.’” Pg. 28, ¶ 2 under header, sex-related effects.

As a contrast, it is worthwhile to note that, before the pandemic, myocarditis was quite uncommon — 0.05% in pediatric admissions;⁷¹ worldwide 10.2 to 105.6 per 100,000 population;⁷² nine in 100,000 developed the condition without COVID-19;⁷³ Defense Department rates were .00216%.⁷⁴ Scientists noticed the elevated rates of myocarditis after Pfizer vaccination even before Pfizer’s in-house study became publicly available. A 2022 literature review of 39 studies, including 129 Pfizer-vaccinated patients, showed that 64 were diagnosed with myocarditis, 7.8% required intensive care unit hospitalization, and 1.6% died.⁷⁵

Early Signal of link to Myocarditis. The link between myocarditis and the Pfizer vaccine was identified soon after public vaccinations began. On February 28, 2021, less than three months after the EUA was granted in the United States, the Israeli Ministry of Health notified the CDC of a spike in myocarditis among vaccinated subjects.^{76,77} A follow-up report indicated a causal relationship to the COVID vaccine, particularly following the second vaccine dose. From December 2020 until May 2021, in Israel countrywide, there were 275 cases of myocarditis, 148 were closely related in time to a Pfizer vaccination. Twenty-seven myocarditis adverse events were reported shortly after the first dose. Within 30 days of the second Pfizer dose, that increased to 121 myocarditis cases⁷⁸ Most involved males under age 30.

⁷¹ Tunuguntla, Hari, Aamir Jeewa, and Susan W. Denfield. 2019. “Acute Myocarditis and Pericarditis in Children.” *Pediatrics in Review* 40 (1): 14–25. <https://doi.org/10.1542/pir.2018-0044>; <https://renaissance.stonybrookmedicine.edu/sites/default/files/Myocarditis-and-Pericarditis-1-2019-PIR.pdf>.

⁷² Golpour, Ainoosh, Dimitri Patriki, Paul J. Hanson, Bruce McManus, and Bettina Heidecker. 2021. “Epidemiological Impact of Myocarditis.” *Journal of Clinical Medicine* 10 (4): 603. <https://doi.org/10.3390/jcm10040603>.

⁷³ Thaker, Ranel, James Faraci, Sierra Derti, John F. Schiavone, Ranel Thaker, James Faraci, Sierra Derti, and John F. Schiavone. 2023. “Myocarditis in SARS-CoV-2: A Meta-Analysis.” *Cureus* 15 (10). <https://doi.org/10.7759/cureus.48059>.

⁷⁴ Engler, Renata J. M., Michael R. Nelson, Limone C. Collins Jr., Christina Spooner, Brian A. Hemann, Barnett T. Gibbs, J. Edwin Atwood, et al. 2015. “A Prospective Study of the Incidence of Myocarditis/Pericarditis and New Onset Cardiac Symptoms Following Smallpox and Influenza Vaccination.” Edited by Marc S Horwitz. *PLOS ONE* 10 (3): e0118283. <https://doi.org/10.1371/journal.pone.0118283>.

⁷⁵ Bellos, Ioannis, Vasilios Karageorgiou, and Dana Viskin. 2022. “Myocarditis Following mRNA COVID-19 Vaccination: A Pooled Analysis.” *Vaccine*, February. <https://doi.org/10.1016/j.vaccine.2022.02.017>. (See pg. 1771, Table 1).

⁷⁶ “Myocarditis and COVID-19 Vaccines: How the CDC Missed a Safety Signal and Hid a Warning.” n.d. *The Epoch Times*. Accessed April 10, 2024. <https://www.theepochtimes.com/article/myocarditis-and-covid-19-vaccines-how-the-cdc-missed-a-safety-signal-and-hid-a-warning-5300341>.

⁷⁷ “Israel Examining Heart Inflammation Cases in People Who Received Pfizer COVID Shot.” 2021. Reuters. April 25, 2021. <https://www.reuters.com/world/middle-east/israel-examining-heart-inflammation-cases-people-who-received-pfizer-covid-shot-2021-04-25/>.

⁷⁸ “Israel reports link between Pfizer 2nd shot and heart problem in males under 30.” *Times of Israel*. Last modified June 21, 2021. <https://www.timesofisrael.com/israel-reports-link-between-pfizer-2nd-shot-and-heart-problem-in-males-under-30/>.

In Pfizer's own February 2021 post-EUA analysis of adverse events, of the 1,346 cardiac events, 1,078, or 77%, of them occurred in non-elderly adults.⁷⁹ Most commonly, these events manifested within 24 hours of receiving the Pfizer vaccine; 136 events were fatal, which is an unusually high rate according to the DailyClout researchers.^{80,81}

Interestingly, Pfizer's post-marketing report categorized myocarditis or pericarditis as "Immune Mediated/Autoimmune" adverse events instead of as cardiac adverse events.⁸² The myocarditis and pericarditis data appear on page 20 of Pfizer's post-marketing report and show 57 instances of myocarditis or pericarditis out of 158,893 total adverse event reports among 42,086 cases.⁸³ These incidences onset within seven days, most often within two days, which strongly suggests a correlation to the vaccine.⁸⁴

Indeed, Pfizer seems to have hidden its knowledge of the myocarditis-vaccine correlation, as it did with death reports prior to obtaining the EUA. An analysis in WarRoom/DailyClout Report 84 shows, "...[there was an] over 3.7-fold increase in number of deaths due to cardiovascular events in vaccinated subjects compared to placebo subjects" prior to the granting of the EUA.⁸⁵

As early as May 2021, the WHO acknowledged an mRNA COVID vaccine association with myocarditis and pericarditis. The pertinent CDC committee evaluated this but concluded the benefit of the vaccines outweighed the risks of these conditions. The FDA and the European Medical Agency (EMA) updated the Pfizer and Moderna vaccines' product information. The advisory response recommended monitoring mRNA vaccine recipients, especially young men, and seeking medical attention when symptoms arose such as chest pain, shortness of breath, fatigue.⁸⁶ A February 2024 CDC study concluded that Pfizer's COVID vaccines resulted in

⁷⁹ Gehrett, Barbara; Gehrett, Joseph; Flowers, Chris; and Britt, Loree. 2023. "Report 53: 77% of Cardiovascular Adverse Events from Pfizer's MRNA COVID Shot Occurred in Women, as Well as in People under Age 65. Two Minors Suffered Cardiac Events." DailyClout. January 19, 2023. <https://dailyclout.io/report-53-cardiovascular-adverse-events/>. (See pg. 2).

⁸⁰ Pfizer. 5.3.6 CUMULATIVE ANALYSIS OF POST-AUTHORIZATION ADVERSE EVENT REPORTS OF PF-07302048 (BNT162B2) RECEIVED THROUGH 28-FEB-2021." Pgs. 16-17, Table 7.

⁸¹ Gehrett, Barbara; Gehrett, Joseph; Flowers, Chris; and Britt, Loree. 2023. "Report 53: 77% of Cardiovascular Adverse Events from Pfizer's MRNA COVID Shot." Pg. 2.

⁸² "5.3.6 CUMULATIVE ANALYSIS of POST-AUTHORIZATION ADVERSE EVENT REPORTS of PF-07302048 (BNT162B2) RECEIVED through 28-FEB-2021." Pg. 20, Table 7.

⁸³ Ibid.

⁸⁴ A Team 1 physician (Edited by: Chris Flowers, M.D., and Amy Kelly, War Room/DailyClout Pfizer Documents Analysis Program Director). 2022. "Report 43: Twenty-Two Cases of Rare Myocarditis by February 2021, yet Pfizer Said No 'New Safety Issues.' FDA Waits until June 25, 2021, to Include Myocarditis Risk in Fact Sheets." DailyClout. August 26, 2022. <https://dailyclout.io/twenty-two-cases-of-rare-myocarditis-by-february-2021>.

⁸⁵ Kelly, Amy. 2023. "Report 84: War Room/DailyClout Research Team Breaks Huge Story: More Cardiovascular Deaths in Vaxxed than Unvaxxed.;" DailyClout. September 5, 2023.

⁸⁶ "COVID-19 Subcommittee of the WHO Global Advisory Committee on Vaccine Safety (GACVS): Updated Guidance Regarding Myocarditis and Pericarditis Reported with COVID-19 MRNA Vaccines." n.d. www.who.int. Accessed April 9, 2022. <https://www.who.int/news/item/09-07-2021-gacvs-guidance-myocarditis-pericarditis-covid-19-mrna-vaccines>.

higher risks of developing myocarditis (after first dose, 2.78 times the normal risk; after second dose, 2.86 times the normal risk; after third dose, 2.09 times the normal risk).^{87,88}

Another adverse event from Pfizer’s COVID vaccine is arrhythmia — i.e., an irregular heartbeat that can lead to stroke, heart attack, or heart muscle failure. A 2023 meta-analysis noted that among Pfizer, CoronaVac, and AstraZeneca vaccine recipients, Pfizer vaccinated persons exhibited the highest rate of arrhythmia, 95.47 per million compared to the others, 51.76 and 26.92, respectively.⁸⁹ The analysis also found that the Pfizer vaccine was associated with 60.7% of the instances of new-onset arrhythmia (emphasis added).⁹⁰

WarRoom/DailyClout researchers reviewed Pfizer’s post-marketing report on adverse events and noticed missing temperature data, which may indicate misdiagnoses of arrhythmia as tachycardia. WarRoom/DailyClout Report 35 discusses how categorizing heart-related symptoms as tachycardia could disguise cases of arrhythmia and in numbers more than seven times what Pfizer reported:

Another interesting inclusion is the case of “Tachycardia” (1,098 cases). Tachycardia means elevated heart rate. Heart rates go up roughly 10 beats per minute for each degree of temperature gain. Strangely, there were 7,666 cases of Pyrexia (fever) using Celsius degrees that eliminated all temperature elevations between 99.6- and 100.3-degrees Fahrenheit. The under-reporting of fevers makes this reporting questionable. Were these “Tachycardias” cases actually cases of erratic heartbeat (Arrhythmia) that affect the heart’s upper chambers? The matter can only be resolved with raw data access that has not been provided.⁹¹

5 Pfizer Unblinded the Placebo Group, Sabotaging Data.

⁸⁷ Senior, Cassidy Morrison. 2024. “Largest COVID Vaccine Study yet Finds up to 3x Greater Risk.” Mail Online. February 19, 2024. <https://www.dailymail.co.uk/health/article-13100755/Largest-COVID-vaccine-study-finds-shots-linked-small-increased-risk-neurological-blood-heart-disorders-extremely-rare.html>.

⁸⁸ K. Faksova, D Walsh, Y Jiang, J Griffin, A Phillips, A Gentile, J.C Kwong, et al. 2024. “COVID-19 Vaccines and Adverse Events of Special Interest: A Multinational Global Vaccine Data Network (GVDN) Cohort Study of 99 Million Vaccinated Individuals.” *Vaccine*, February. <https://doi.org/10.1016/j.vaccine.2024.01.100>.

⁸⁹ Abutaleb, Mohammed H, Hafiz A Makeen, Abdulkarim M Meraya, Saad S Alqahtani, Bayan Ibrahim Al-Mass, Reaam Omar Aljazeera, Bushra Dhuhayyan Alhazmi, Mohammed Noor, and Ahmed Ali Alajam. 2023. “Risks of Cardiac Arrhythmia Associated with COVID-19 Vaccination: A Systematic Review and Meta-Analysis.” *Vaccines (Basel)* 11 (1): 112–12. <https://doi.org/10.3390/vaccines11010112>.

⁹⁰ *Ibid.*, Section 4. Discussion, ¶2.

⁹¹ Hildreth, Kate. 2022. “Report 35: Pfizer Evidence so Far: Coverups, Heart Damage, and More.” DailyClout. July 30, 2022. <https://dailyclout.io/pfizer-evidence-so-far-coverups-heart-damage-and-more>.

During Pfizer’s clinical trials for the COVID vaccine, it unblinded the control group at week 20 of Phase 3 of the trial. Unblinding⁹² means the participants of the control placebo group, who did not know whether they were receiving the vaccine or the placebo, learned they had received the placebo. At the point of unblinding, approximately 20,000 trial subjects had received placebo injections. Pfizer offered those trial subjects the opportunity to receive the COVID vaccine; and, within about three months, 19,696 of them received the Pfizer vaccine. Thus, nearly 90% of the trial’s control group chose to get vaccinated.^{93,94} The Pfizer clinical trial control group had been destroyed.

Pfizer’s vaccinating the placebo group began immediately after it obtained EUA and was complete by mid-March 2021. After placebo group subjects received the vaccine, they were no longer unvaccinated and, therefore, no long-term analytical, including safety, comparisons between vaccinated and unvaccinated subjects could be made. By July 2021, Pfizer’s updated report “attempted to substitute titer-based lab tests for efficacy, [blood tests in place of PCR tests] but later admitted lab titers do not represent disease protection.”⁹⁵

In 2020, PCR tests were already known to produce false negatives and positives for active COVID infections, and these were used in arriving to identify the eight vaccinated and 162 unvaccinated COVID cases which were the premise for granting EUA.⁹⁶ By December 2021, the CDC withdrew its PCR COVID test as it could not distinguish between the flu and COVID-19. This casts further doubt on the trustworthiness of Pfizer’s “successful” data.

In September 2023, a group of UK doctors and other specialists saw that Pfizer and others had been “eager to inject the placebo group.”⁹⁷ The specialists opined that the pharmaceutical

⁹² Monaghan, Thomas F., Christina W. Agudelo, Syed N. Rahman, Alan J. Wein, Jason M. Lazar, Karel Everaert, and Roger R. Dmochowski. 2021. “Blinding in Clinical Trials: Seeing the Big Picture.” *Medicina* 57 (7): 647. <https://doi.org/10.3390/medicina57070647>. [Clinical pharmaceutical trials use the tenet of blinding, or not allowing participant subjects to know whether or not they are receiving a fake medication (placebo) or the new one being tested. Double-blinding also prevents the trial staff to know which subjects receive the vaccine or placebo. Blinding guards against the known phenomenon of bias. Study subjects who know they are receiving a new drug or a placebo has potential to negatively impact the trial, e.g. subjects could seek alternative treatment outside of the trial, perceive an adverse attitude from staffers, unconscious exaggeration of physical responses, drop out of the program.]

⁹³ Wahl, Linnea. 2023. “Report 59: The Flawed Trial of Pfizer’s COVID-19 mRNA ‘Vaccine.’ 90% of Original Placebo Group Received at Least One mRNA Injection by March 2021.” *DailyClout*. March 6, 2023. <https://dailyclout.io/report-59-the-flawed-trial-of-pfizers-covid-19-mrna-vaccine/>.

⁹⁴ Britt, Loree; Cibelli, Michelle; Gehrett, Barbara; Gehrett, Joseph; and Flowers, Chris. w. 2023. “Report 73: Pfizer Knew by November 2020 That Its mRNA COVID Vaccine Was Neither Safe nor Effective. Here Is What Pfizer’s Employees and Contractors Knew and When They Knew It.” *DailyClout*. May 31, 2023. <https://dailyclout.io/report-73-pfizer-knew-what-pfizers-employees-and-contractors-knew-and-when-they-knew-it>.

⁹⁵ *Ibid.*

⁹⁶ Mallett, Sue, A. Joy Allen, Sara Graziadio, Stuart A. Taylor, Naomi S. Sakai, Kile Green, Jana Suklan, et al. 2020. “At What Times during Infection Is SARS-CoV-2 Detectable and No Longer Detectable Using RT-PCR-Based Tests? A Systematic Review of Individual Participant Data.” *BMC Medicine* 18 (1). <https://doi.org/10.1186/s12916-020-01810-8>.

⁹⁷ Editor, HART. 2023. “Unjustified Unblinding.” *HART*. September 19, 2023. <https://www.hartgroup.org/unjustified-unblinding/>.

companies' suspected goal was to deliberately eliminate the ability for anyone to conduct a properly controlled quantitative safety analysis.⁹⁸

6 Pfizer's Bait and Switch - Manufacturing an Under-Tested "Vaccine" Formula

'Bait and Switch' is a term that arose out of the advertising business. It refers to an underhanded sales tactic of announcing to customers an inexpensive product to draw them into a place of retail sales. The tactic continues when the business then informs the customer that the item is unavailable, on back order, or sold out and attempts to persuade the customer to buy a similar item at a higher price. The practice is regarded as fraudulent and deceptive. During Pfizer's COVID vaccine clinical trials, it was already preparing a pharmaceutical manufacturing switch for when it obtained emergency use authorization from the FDA.

In October 2020, Pfizer started a new mini trial, referred to as "Process 2", in the midst of its then ongoing main clinical trial. It comingled the Process 2 data with the main "Process 1" study data, though the manufacturing processes for the two were very different. Pfizer made only a cursory note about it in an October 2020 protocol amendment submitted to the FDA.⁹⁹ Pfizer's final protocol, dated April 15, 2020, noted that "Process 2 was developed to support increased scale of manufacture."¹⁰⁰ Further into the Protocol document, Pfizer stated that the manufacturing would involve changes in the method of production, namely, "...using material from lots generated using the manufacturing process supporting increased supply. . . for production of the DNA template . . . and the RNA drug substance purification method."¹⁰¹ The public was not informed of a this significant change to the manufacturing process of the vaccines that would be rolled out to the public until a court-ordered release of the Pfizer documents began.¹⁰²

The 'Process 2' formula was later determined to be contaminated. Pfizer used that second formula for its mass vaccine distribution. Research scientist, Kevin McKernan, who, with colleagues, found DNA and SV40 fragments in Pfizer's vaccine in 2023, said that Pfizer had performed a "bait and switch." The company had changed to a different manufacturing method

⁹⁸ Ibid.

⁹⁹ "PF-07302048 (BMT162 RNA-Based COVID-19 Vaccines) Protocol C4591001 Final Protocol, 15 April 2020." 2020. Pfizer. https://www.nejm.org/doi/suppl/10.1056/NEJMoa2034577/suppl_file/nejmoa2034577_protocol.pdf.

¹⁰⁰ Ibid. Pgs. 174-175.

¹⁰¹ Ibid. Section 6.1.1 Manufacturing.

¹⁰² "Effect of mRNA Vaccine Manufacturing Processes on Efficacy and Safety Still an Open Question." 2024. www.bmj.com, March. <https://www.bmj.com/content/378/bmj.o1731/rr-2>. [Dr. Josh Gueztkow, who provided testimony in a UK proceeding, publicly stated he was waiting to see the data for the mini-trial; The European Medical Agency (EMA) was also interested in reviewing the mini-trial 'Process 2' data. The facts about the Process 2 formula only came to light through: Flowers, Chris; Delph, Erika; Clark, Ed; and Team 3 War Room/DailyClout Pfizer Documents Investigators. 2023. "Report 86: Pfizer's Clinical Trial 'Process 2' COVID Vaccine Recipients Suffered 2.4X the Adverse Events of Placebo Recipients; 'Process 2' Vials Were Contaminated with DNA Plasmids." DailyClout. October 6, 2023. <https://dailyclout.io/pfizer-process-2-vaccine-had-2-4-times-adverse-events/>]

when it scaled up or began mass production.¹⁰³ Internally, Pfizer’s clinical study protocol from April 2020 planned this alternate manufacturing process, referring to it only briefly, “. . . ‘Process 2’ was developed to support an increased scale of manufacture.”¹⁰⁴ By October 2022, Pfizer’s contaminated Process 2 vaccine had been widely distributed, and more than 375,644,351 doses had been injected into the arms of Americans.¹⁰⁵

The Process 2 mini trial consisted of 502 individuals with vaccination and placebo control groups. Of the Process 2 mini trial participants, 252 received the vaccine, and they suffered 2.4 times more adverse events than the ‘Process 1’ vaccinated group.¹⁰⁶ The revelation of the Process 2 formula and contamination sparked increased interest about Pfizer’s manufacturing processes. As already noted, the FDA has declined to disclose information about Pfizer’s quality control efforts, explaining that Pfizer asserts its related data as protected trade secret data under the Freedom of Information Act (FOIA).¹⁰⁷ Pfizer intended to mass produce only the minimally tested COVID vaccine formula.¹⁰⁸

7 Pfizer Vaccine Recipients Suffered Debilitating and Disabling Adverse Events

The CDC and Pfizer use the CIOMS VI definition of “adverse events of special interest” (AESI), which is, "An adverse event of special interest is one of scientific or medical concern specific to the sponsor's product or programme, for which ongoing monitoring and rapid communication by

¹⁰³ “‘Probably the Most Important Topic of Our Time’: DNA Contaminants in COVID Shots Can Trigger Cancer, Alter Human Genome.” 2023. The Burning Platform. October 12, 2023.
<https://www.theburningplatform.com/2023/10/12/probably-the-most-important-topic-of-our-time-dna-contaminants-in-covid-shot-s-can-trigger-cancer-alter-human-genome/>.

¹⁰⁴ Protocol for Polack, F.P, Thomas S.J, et al. Safety and efficacy of the BNT2162b mRNA COVID-19 vaccine.
https://www.nejm.org/doi/suppl/10.1056/NEJMoa2034577/suppl_file/nejmoa2034577_protocol.pdf. (See pp. 174 -175).

¹⁰⁵ “Tracking COVID-19 Vaccine Distribution by State: How Many People Have Been Vaccinated in the US?” n.d.
Www.usatoday.com.
<https://www.usatoday.com/in-depth/graphics/2021/01/14/covid-vaccine-distribution-by-state-how-many-covid-vaccines-have-been-given-in-us-how-many-people/6599531002/>. (See “Chart: How many shots from each vaccine manufacturer have been administered.”)

¹⁰⁶ Flowers, Chris; Delph, Erika; Clark, Ed; and Team 3 War Room/DailyClout Pfizer Documents Investigators. 2023. “Report 86: Pfizer’s Clinical Trial ‘Process 2’ COVID Vaccine Recipients Suffered 2.4X the Adverse Events of Placebo Recipients.” DailyClout. October 6, 2023.

¹⁰⁷ Kelly, Amy. 2023. “FOIA’d FDA ‘Establishment Inspection Reports’ of Pfizer COVID Vaccine Manufacturing Facilities Reveal ‘Inadequate Quality Oversight,’ Deficient Deviation Investigations, Ignored Standard Operating Procedures, and More.” DailyClout. November 22, 2023.
<https://dailyclout.io/foiad-fda-establishment-inspection-reports-of-pfizer-covid-vaccine-manufacturing-facilities-reveal/>.

¹⁰⁸ Conradson, Julian. 2022. “Pfizer Quietly Admits It Will NEVER Manufacture the Vaccine That Was FDA Approved - Will Produce New ‘Tris-Sucrose Formulation’ mRNA Vaccine Instead | the Gateway Pundit | by Julian Conradson.” The Gateway Pundit. June 9, 2022.
<https://www.thegatewaypundit.com/2022/06/pfizer-quietly-admits-will-never-manufacture-vaccine-fda-approved-will-produce-new-tris-sucrose-formulation-mrna-vaccine-instead/>.

the investigator to the sponsor could be appropriate. Such an event might require further investigation in order to characterise and understand it. Depending on the nature of the event, rapid communication by the trial sponsor to other parties (e.g., regulators) might be warranted."¹⁰⁹

In its post-marketing report to the FDA, 90 days after the initial rollout of the Pfizer vaccine for public vaccination, Pfizer reported a massive list of 1290 AESIs in an over eight-page, single-spaced ‘Appendix 1.’¹¹⁰ The information in Appendix 1 was not released to the public until a court ordered the FDA to release the Pfizer clinical trial documents.

Vast array of injuries. The adverse events of special interest impacted entire body systems — neurological, cardiovascular, musculoskeletal, reproductive, multi-organs, etc. Just a small list of some medical conditions reported after vaccination with Pfizer’s novel gene therapy drug include: anaphylaxis, arthritis, chronic fatigue syndrome, autoimmune disorders, Guillain-Barré syndrome, seizures, multiple sclerosis, meningitis, herpes, acute respiratory distress syndrome, thromboembolic events, and strokes.¹¹¹ A 2024 CDC study of COVID vaccine adverse events, including from Pfizer’s vaccine, derived information from approximately one million medical records in eight countries. The effort turned up evidence of increased safety signals — i.e., adverse events significantly higher than anticipated for myocarditis, pericarditis, Guillain-Barré syndrome, and cerebral venous sinus thrombosis, as well as a potential signal for ADEM, acute disseminated encephalomyelitis, an autoimmune disease that involves serious brain and spinal cord inflammation.^{112,113}

Rising Death Rates. The many serious adverse events from the Pfizer vaccine (and others) may be related to the profound events since public vaccinations. Sudden deaths have risen dramatically, especially in the young and among athletes. Between 2021 and 2022 alone, more than 1,650 athletes collapsed due to cardiac events, and 1,148 of them died.¹¹⁴ While their vaccination statuses remain largely unknown, it is well-known that many high school and, especially, college and professional sports’ players were required to take COVID vaccines. Knowing that Pfizer was the first and largest provider of COVID vaccines, at least in the U.S., some significant portion of those vaccinees surely took Pfizer’s vaccine.

¹⁰⁹ “Management of Safety Information from Clinical Trials.” *Management of Safety Information from Clinical Trials - Report of CIOMS Working Group VI*, CIOMS, 2005, cioms.ch/wp-content/uploads/2017/01/Mgment_Safety_Info.pdf, p. 220.

¹¹⁰ https://phmppt.org/wp-content/uploads/2022/04/reissue_5.3.6-postmarketing-experience.pdf, pp. 30-38.

¹¹¹ Ibid.

¹¹² LifeSite. 2024. “Large New Study Finds COVID Jabs Carry Increased Risks of Heart, Brain, Blood Diseases - LifeSite.” February 21, 2024. https://www.lifesitenews.com/news/large-new-study-covid-jabs-risks/?utm_source=featured_news&utm_campaign=usa.

¹¹³ “Largest Ever Global Study of COVID Vaccines Finds Small but Real Link to Neurological, Blood, Heart-Related Conditions.” n.d. Fortune Well. <https://fortune.com/well/2024/02/19/how-dangerous-covid-vaccines-health-risk-blood-clot-heart-neurological/>.

¹¹⁴ BizNews, Editor. 2023. “Normalisation of Sudden Death Surge among Athletes Demonstrates the Extent of Our Societal Pathology.” BizNews.com. January 16, 2023. <https://www.biznews.com/health/2023/01/16/sudden-death-athletes>.

In 2023, the CDC acknowledged an unusually high mortality rates among 15- to 45-year-olds, over a 20% increase compared to insurance industry historical norms.¹¹⁵

In November 2023, a senior military medical Services Corps officer posted a short video reviewing Defense Department data on fixed-wing and helicopter pilots. This whistleblower claimed that the data showed a 937% increase in heart failure, a 152% increase in cardiomyopathy, a 69% increase in ischemic heart disease, a 62% increase in pulmonary heart disease, a 36% increase in hypertensive disease, and a 63% increase in other forms of heart disease compared to the five-year average before 2022.¹¹⁶

From January 2021 to December 2023 there have been large decreases in employment in hospitality, food services, retail, financial activities, professional services, and durable goods manufacturing. The “quit” rate ranges from (1.4% to 4.1%) and in one sector it reached over 6%.¹¹⁷ The job decreases may well be due in part to COVID vaccine disabilities. Author and statistical researcher, Edward Dowd, noted a 55% increase in employment disability claims among women in data from the bureau of Labor Statistics.¹¹⁸

8 Reports Indicate Pfizer Distributed Bad Batches of its Vaccine.

The high incidence of sudden deaths due to cardiac events after receiving a Pfizer COVID vaccine has been demonstrated. The inexplicable information on so-called “hot lots,” and the associated high death and adverse event numbers, found in the Vaccine Adverse Events Reporting Systems (VAERS) database is similarly disturbing.

The Informed Consent Action Network (ICAN) obtained COVID vaccine lot data from Pfizer and Moderna and matched it to VAERS and OpenVAERS.¹¹⁹ ICAN analyzed the data, which seems to indicate that particular lots corresponded with a “unusually high” number of adverse reactions. ICAN prepared an example bar chart of twenty lots of Pfizer and Moderna incidences of myocarditis per million doses of each company’s vaccine, side by side.¹²⁰ It is a visually

¹¹⁵ “Insurance Executives Concerned by Sudden Increase in Young Adult Mortalities Post-COVID Vaccine.” n.d. [Your]NEWS. Accessed April 10, 2024. <https://yournews.com/2023/11/08/2683760/insurance-executives-concerned-by-sudden-increase-in-young-adult-mortalities/>.

¹¹⁶ Frudd, Timothy. 2023. “Video: Heart Issues Skyrocketing in Military, US Navy Medic Says.” American Military News. November 29, 2023. <https://americanmilitarynews.com/2023/11/video-heart-issues-skyrocketing-in-military-us-navy-medical-says/>.


¹¹⁷ Ferguson, Stephanie, and Makinzi Hoover. 2024. “Understanding America’s Labor Shortage: The Most Impacted Industries.” U.S. Chamber of Commerce. February 13, 2024. <https://www.uschamber.com/workforce/understanding-americas-labor-shortage-the-most-impacted-industries>.

¹¹⁸ “Sharp Increase in Disability Claims among U.S. Women after COVID Vaccine Rollout.” n.d. [Your]NEWS. Accessed April 10, 2024. <https://yournews.com/2024/01/10/2721397/sharp-increase-in-disability-claims-among-u-s-women-after-covid/>.

¹¹⁹ User, Super. n.d. “Welcome.” OpenVAERS. <https://openvaers.com/>. (An independent searchable database. Its home page explains “OpenVAERS is built from the HHS data available for download at vaers.hhs.gov.”)

¹²⁰ “BREAKING: ICAN Obtains Data Used to Identify ‘Hot Lots’ of Moderna and Pfizer COVID Vaccines.” 2024. ICAN - Informed Consent Action Network. January 8, 2024. <https://icandecide.org/press-release/breaking-ican-obtains-data-used-to-identify-hot-lots-of-moderna-and-pfizer-covid-vaccines/>.

striking image, showing that both companies' products appear to have extremely similar profiles of myocarditis diagnoses. Viewing the charts from the bottom up, both companies' products showed an increasing number of myocarditis-associated cases from slightly less than 10 per million, up to Pfizer's 95 cases per million and Moderna's approximately 45 cases per million.



Dr. Michael Yeadon, a former Pfizer Vice President, explained that vaccine lots should contain uniform ingredients, so adverse events and deaths that occur should have a similar frequency across lot numbers.¹²¹ The footnoted article contains an itemized VAERS list from 2021 and early 2022 with 104 purported “hot lots.” A second column itemizes the number of VAERS’ reported deaths associated with each lot number. The number of deaths per lot runs from single digits to a high of 117. Although Dr. Yeadon has been criticized as an anti-vaxxer, he had no influence on the VAERS data. In fact, the data appears to be the same set of numbers discussed earlier in a 2021 article by Karl Denninger, who was commenting on an article in *Exposé*.¹²²

¹²¹ Justus R. Hope, MD. 2022. "Sudden death by 'Hot Lot' - Dr. Michael Yeadon sounds the Alarm," The Desert Review. Jan 24, 2022, updated Feb 21, 2022. https://www.thedesertreview.com/opinion/columnists/sudden-death-by-hot-lot---dr-michael-yeadon-sounds-the-alarm/article_221655d0-7d5e-11ec-b3d5-5701b978e3d9.html.

¹²² Karl Denninger. 2021. "Uh, That's Not a Conspiracy Theory." The Burning Platform. November 2, 2021. <https://www.theburningplatform.com/2021/11/02/uh-thats-not-a-conspiracy-theory/>. (Commenting on: *Exposé*, The. 2021. “EXCLUSIVE – 100% of COVID-19 Vaccine Deaths Were Caused by Just 5% of the Batches Produced according to Official Government Data.” The Exposé. October 31, 2021.

Dr. Yeadon has not been the only source to reference an uneven distribution of fatalities or adverse events among Pfizer vaccine lots. DailyClout highlighted six Pfizer vaccine batches, or lot numbers, associated with 13.8% of miscarriages after vaccination, which was derived from the <https://wonder.cdc.gov/> website on May 2, 2022.¹²³ The same WarRoom/DailyClout Report 28 charted 65 Pfizer batch/lot numbers identified as dangerous to the health of the patient.¹²⁴ The chart presented each batch/lot number and its corresponding adverse reactions (ADRs), deaths, disabilities, and life-threatening illnesses.

General concerns of bad batches among the Pfizer and other companies' lots gave rise to making VAERS batch data accessible on a website. Using VAERS data in 2021, researcher Craig Paardekooper created an accessible database, [How Bad Is My Batch?](#), as a public service¹²⁵ Paardekooper has maintained an extensive and detailed database financed by donations and containing data from Pfizer and other vaccine manufacturers. He made the data searchable from numerous angles. For example, one database is subtitled, "International Deadly Lots," which includes data on Pfizer, Moderna, and Janssen vaccines. It lists lot numbers and the associated number of adverse reports, deaths, disabilities, life-threatening reactions, and percentages of reports within the lot that are severe.¹²⁶ However, the pharmaceutical company name is not listed, so site visitors can only check using a known lot number of a pharmaceutical company. As of this writing in January 2024, that site has been visited nearly 179 million times since June 2023.

Anecdotal problems with Pfizer Batches/Lots. In Europe, Pfizer submitted a period safety update report (PSUR) covering the period from December 19, 2020, to June 18, 2021. On pages 56 and 57 of the report, Pfizer identified 21 batches of "the most frequently reported lot numbers," associated with a high number of adverse events.¹²⁷ The number of adverse events ranged from a low of 2,133 in a single batch to the high of 16,077 -- in one batch! The report did not correlate the specific adverse events with batch or lot numbers. The data referred to BNT162b, which was identified on page 2 and in a footnote as "Comirnaty," The FDA-approved version of Pfizer's COVID vaccine. Paradoxically, immediately after the graph list, Pfizer wrote,

<https://expose-news.com/2021/10/31/100-percent-of-covid-19-vaccine-deaths-caused-by-just-5-percent-of-the-batches-produced>.
)

¹²³ Hildreth, Kate. 2022. "Report 32: If Pfizer Controlled the 'Data' They Controlled the Outcome." DailyClout. June 28, 2022. <https://dailyclout.io/if-pfizer-controlled-the-data-they-controlled-the-outcome/>. (Pg. 180, 189 of hard cover book: Team, Investigation. 2023. War Room / DailyClout Pfizer Documents Analysis Reports.)

¹²⁴ Ibid. Pg. 190, Team, Investigation. 2023. War Room / DailyClout Pfizer Documents Analysis Reports.

¹²⁵ Exposé, The. 2021. "How Bad Is My COVID-19 Vaccine Batch? – Find out Now." The Exposé. December 16, 2021. <https://expose-news.com/2021/12/16/how-bad-is-my-covid-19-vaccine-batch/>.
<https://expose-news.com/2021/12/16/how-bad-is-my-covid-19-vaccine-batch/>.

¹²⁶ "International Deadly Lots (Howbad.info)." n.d. Howbadismybatch.com. Accessed April 13, 2024. <https://howbadismybatch.com/international.html>.

¹²⁷ Periodic Safety Report #1 Active Substance: COVID-19 mRNA vaccine (nucleoside modified)(BNT162b2) ACT Code: J07BX03 Authorisation Procedure in the EU: Centralised International Birdt Date (IBD): 19 December 2020 European Union Reference Date (EURD): 19 December 2020 Interval Covered by This Report: 19 December 2020 through 18 June 2021. https://tkp.at/wp-content/uploads/2023/01/1.PSUR_organic.pdf.

“Overall, there were no related quality issues identified during investigations of these lot/batch numbers.”

In Denmark, concerns were raised about 52 Pfizer batches which seemed to result in significantly more side effects. A question was submitted to the European Parliament on October 5, 2023.¹²⁸ The parliamentary question may have been raised in relation to an unexpected finding that in Denmark batches, SAEs per 1,000 doses varied considerably between batches, both in rates and seriousness.¹²⁹ The authors of that 2023 study concluded there was a batch-dependent safety signal for Pfizer’s BNT162b2 vaccine which warranted further investigation.¹³⁰

In 2021, a cache of leaked documents from the European Medical Agency (EMA) revealed that regulators had strong concern about the unexpectedly low quantities of mRNA in Pfizer vaccine batches.¹³¹

In Japan, in September 2021, five vials of Pfizer vaccine from the same lot contained foreign matter visible to the naked eye. Three cities put aside the vials and requested testing from Pfizer.¹³²

A Pfizer whistleblower leaked an internal email from January 2021 to Pfizer employees at a New York research site explaining that workers would be provided with a special batch of COVID vaccines that were “separate and distinct” from those provided to governments and the general public. During an Australian senate hearing in 2023, a Pfizer representative conceded that the company had imported a batch of vaccine specifically for its employee vaccination program. This action is generally consistent with Pfizer knowingly providing different batches to different populations.¹³³

#9 Vaccine-Related “Turbo Cancers”.

¹²⁸ JORON, Virginie. n.d. “Parliamentary Question | Toxic Secondary Effects and Mortality: Are There Differences between Batches of COVID-19 Vaccines? | E-001537/2023 | European Parliament.” Www.europarl.europa.eu. Accessed April 13, 2024. https://www.europarl.europa.eu/doceo/document/E-9-2023-001537_EN.html.

¹²⁹ Schmeling, Max, Vibeke Manniche, and Peter Riis Hansen. 2023. “Batch-Dependent Safety of the BNT162b2 mRNA COVID-19 Vaccine.” European Journal of Clinical Investigation, April. <https://doi.org/10.1111/eci.13998>.

¹³⁰ Ibid.

¹³¹ Tinari, Serena. 2021. “The EMA COVID-19 Data Leak, and What It Tells Us about mRNA Instability.” BMJ, March, n627. <https://doi.org/10.1136/bmj.n627>.

¹³² Author, No. 2021. “Contaminants Found in Pfizer Vaccine in Cities near Tokyo and Osaka.” The Japan Times. September 15, 2021. <https://www.japantimes.co.jp/news/2021/09/15/national/contaminants-pfizer-tokyo-osaka/>.

¹³³ Pundit, The Gateway. 2024. “Whistleblower Reveals Pfizer Offered ‘Separate and Distinct’ COVID-19 Vaccines to Employees.” Vigilant News Network. May 11, 2024. <https://vigilantnews.com/post/whistleblower-exposes-internal-email-suggesting-pfizer-offered-separate-and-distinct-covid-19-vaccines-to-employees/>.

One of the most alarming developments in the wake of the COVID vaccines is the onset of fast-growing cancers, particularly among people in their 20s and 30s, which have been dubbed “turbo cancers.” These are a phenomenon previously unknown to medicine. Advanced cancers (stages 3 and 4) are typically diagnosed as soon as the patient notices any symptoms. In December 2023, CDC acknowledged this trend, noting a monstrous 143,233% increase in fatal cancers following COVID vaccinations.¹³⁴ Canadian oncologist Dr. William Makis has seen a lot of the fast-growing turbo cancers, occurring mostly in people vaccinated with the Pfizer or Moderna vaccines.¹³⁵ These turbo cancers are resistant to the usual cancer treatments, and the patients may only survive for weeks or months but not for more than a year. On his Substack, Dr. Makis incorporated U.K. data on deaths and cancer diagnoses analyzed by author Edward Dowd. The data show shocking increases in deaths from cancers from 2020 to 2022, primarily in the 15- to 44-year-old range.¹³⁶

A United Kingdom report shows that “turbo cancers” – including breast, colon, brain, nonspecific neoplasms, and skin cancers – have risen very sharply since the public began receiving COVID vaccines.¹³⁷ Ibid Dr. Makis supplemented his Substack posting with another article, “[New Report: Young People Dying of Cancer at ‘Explosive’ Rates, UK Government Data Show](#)” by Mike Capuzzo, which also discussed Edward Dowd’s findings.¹³⁸ The temporal relationship between the public introduction of COVID vaccines and the dramatic rise in cancers causes one to deduce that a significant portion of the 2022 cancer deaths very well may be attributable to the contaminated COVID vaccines.

Additionally, David Wiseman, one of the authors of “[DNA fragments detected in monovalent and bivalent Pfizer/BioNTech and Moderna modRNA COVID-19 vaccines from Ontario, Canada: Exploratory dose response relationship with serious adverse events](#),”¹³⁹ commented that the FDA’s insistence that there is no evidence of a link between the mRNA COVID vaccines and cancer is becoming “untenable.” Dr. Buckhaults’ comment that Pfizer’s contaminated vaccine involved either “malice or incompetence” may have proven to be prophetic.¹⁴⁰

¹³⁴ Bergman, Frank. 2023. “CDC: 143,233% Surge in Fatal Cancers among Vaxxed Americans.” Slay News. December 27, 2023. <https://slaynews.com/news/cdc-143233-surge-fatal-cancers-among-vaxxed-americans/>.

¹³⁵ Top Canadian Oncologist Dr. William Makis Blows the Whistle on mRNA Jab Fallout: ‘We’ve Never Seen Cancers Behave like This.’” n.d. Rumble.com. Accessed April 13, 2024. <https://rumble.com/v4cn1t9-dr-william-makis-cancers.html>. (See minute 10:30-13:30).

¹³⁶ MD, Dr William Makis. 2023. “TURBO CANCER DATA - Pfizer & Moderna COVID-19 mRNA Vaccines Cause Turbo Cancer - the Data Is Finally Coming Out! UK Cancer Deaths (Ed Dowd).” COVID Intel - by Dr. William Makis. November 22, 2023. <https://makismd.substack.com/p/turbo-cancer-data-pfizer-and-moderna>.

¹³⁷ Ibid.

¹³⁸ Ibid.

¹³⁹ “OSF.” n.d. Osf.io. <https://osf.io/preprints/osf/mjc97>. (David J Speicher, Jessica Rose, L. Maria Gutschi, David M Wiseman PhD, and Kevin McKernan, "DNA fragments detected in monovalent and bivalent Pfizer/BioNTech and Moderna modRNA COVID-19 vaccines from Ontario, Canada: Exploratory dose response relationship with serious adverse events," OSFpreprints).

¹⁴⁰ “Dr. Phillip Buckhault’s Testimony on DNA Contamination in Pfizer’s mRNA Vaccine.” n.d. Rumble.com. (quoted from minute 3:10 to 3:29).

Chris Woollums, a UK researcher and leading writer on cancer, wrote recently on his *Cancer Active* blog that Pfizer vaccines are triggering changes and damages to the immune system, making people vulnerable to cancers.¹⁴¹ He raised the question whether turbo cancer is the new pandemic. He commented that the CEO of Pfizer likely thinks so, noting the company's recent acquisition of pharmaceutical company Seagen, which specializes in cancer drugs, and another pharmaceutical company, Arena Pharmaceuticals, which makes cardiovascular drugs.¹⁴²

By April 2024, Dr. Peter McCullough outlined three possible ways that COVID-19 vaccines could start cancers or promote already existing cancers in the body.¹⁴³ McCullough calls this the "multi-hit hypothesis of oncogenesis after COVID-19 vaccination."¹⁴⁴ First, messenger RNA that is in mRNA vaccines (Pfizer, Moderna, etc.) can impair the body's own function of DNA repair. Second, the spike protein in the vaccine, according to a University of Pittsburgh study, appears to inhibit the body's natural p53 and BRCA tumor suppression systems. Finally, McCullough notes that four labs have found elevated levels of DNA process-related impurities in Pfizer and Moderna vaccines. The vaccines have SV-40 genetic segments and antibiotic resistance fragments present in the vaccines and have turbo cancer-causing potential.

The American Cancer Society has predicted that cancer rates will rise by 77% by the year 2050.¹⁴⁵ The World Health Organization (WHO) said this increase will result in 35 million new cancers, and the number of deaths could run over 18 million.¹⁴⁶

There are increasing reports of association of cancer to the mRNA vaccines. In April 2024, Japan declared an emergency over an explosion of mRNA-related cancers. Statistically significant increases in aggressive forms of cancer occurred in the country from 2020 through 2022, the time frame in which mRNA vaccines were introduced. Six new COVID-19 vaccine turbo cancer papers have been published in April 2024 and allege Pfizer and Moderna vaccines cause cancer.¹⁴⁷ (The studies review: N1-methyl-pseudouridine in relation to cancer; death after 3rd

¹⁴¹ Cancer Active (cancer-blog), "Turbo Cancer - the new Pandemic?" Chris Wollams, January 17, 2024; <https://www.canceractive.com/article/turbo-cancer%20%20the%20new%20pandemic>.

¹⁴² Ibid. Addendum.

¹⁴³ Fox, The Vigilant. 2024. "Dr. Peter McCullough Sounds the Alarm on COVID Vaccine-Induced 'Turbo Cancer.'" Vigilantfox.news. May 5, 2024. https://vigilantfox.news/p/dr-peter-mccullough-sounds-the-alarm?initial_medium=video.

¹⁴⁴ Ibid.

¹⁴⁵ Howard, Jacqueline. 2024. "As the World Ages, Cancer Cases Are Projected to Rise, Hitting Some Countries like 'a Tidal Wave.'" CNN. April 4, 2024. <https://www.cnn.com/2024/04/04/health/cancer-society-report/index.html#:~:text=Now%2C%20a%20report%20from%20the%20American%20Cancer%20Society>.

¹⁴⁶ "Global Cancer Burden Growing, amidst Mounting Need for Services." n.d. Wwww.who.int. Accessed May 26, 2024. <https://www.who.int/news/item/01-02-2024-global-cancer-burden-growing--amidst-mounting-need-for-services#:~:text=Over%2035%20million%20new%20cancer%20cases%20are%20predicted>.

¹⁴⁷ "TURBO CANCER: Pfizer & Moderna COVID-19 mRNA Vaccines Cause Aggressive 'Turbo Cancers' – 6 New COVID-19 Vaccine Turbo Cancer Papers Published in April 2024 - American Media Group." 2024. April 19, 2024. <https://amg-news.com/turbo-cancer-pfizer-moderna-covid-19-mrna-vaccines-cause-aggressive-turbo-cancers/>.

mRNA lipid nanoparticle dose in Japan; an Adenoid Cystic Carcinoma with BNT162b2 Vaccine immune response; and intertwined cases of B-cell lymphoma and a leukaemia[sic] and lymphoma.) Japan's most senior cancer doctor, Dr. Masanori Fukushima, has declared that COVID shots are "essentially murder" and has called for the World Health Organization to investigate the COVID vaccine harms.¹⁴⁸ A new study indicates Pfizer's mRNA "triggered" a rare blood cancer, angioimmunoblastic lymphoma.¹⁴⁹

April 2024 VAERS data analyzed by Ed Dowd shows that multiple-cause cancer deaths in 2022 exceeded the period from 2010 to 2019 trend by a staggering 16%. Between 2010 and 2020 cancer rates had gone down, then began to climb back up in 2020 for the 75 to 84 age group. For that age group, there were about 47,000 multiple-cause excess cancer deaths and underlying-cancer deaths in 2022. After 2020, Dowd explained, a drop in excess cancer mortalities was expected to correspond to the probable deaths of cancer patients who were sick during the pandemic. Instead, excess cancer deaths in 2021 surpassed 2020, and those from 2022 surpassed 2021 in a continuous upward trend. Ed Dowd's cancer death data was taken for the U.S.' Vaccine Adverse Event Reporting System, so the connection between the COVID vaccines and the 2021 and 2022 cancers upward trend seems clear. In short, new cancers rose dramatically after mass inoculation of the population with COVID-19 vaccinations. The COVID-19 shots likely contributed to excess deaths from underlying-cancers and multiple-cause cancers in 2021 and 2022.

10 Pfizer's Chose to Use Risky Lipid Nanoparticles

A key feature of Pfizer's vaccine was the use of lipid nanoparticles (LNPs). The LNPs are microscopic fat bubbles which hold inside them the famed coronavirus spike proteins. Some in the science community touted LNPs as so promising and revolutionary that they had the potential to change the course of history.¹⁵⁰ Within 90 days of mass COVID vaccination in the U.S., Pfizer became aware of so many "adverse events of special interest" that it filled nine single-spaced pages itemizing them.¹⁵¹

The LNP substance is made of a material with a charge that attracts to and penetrates into human cells. Once inside the cells, the vaccine ingredients trigger the body to begin manufacturing spike

¹⁴⁸ LifeSite. 2024. "Japan's Most Senior Cancer Doctor: COVID Shots Are 'Essentially Murder' - LifeSite." May 14, 2024. https://www.lifesitenews.com/news/japans-most-senior-cancer-doctor-covid-shots-are-essentially-murder/?utm_source=most_recent&utm_campaign=usa

¹⁴⁹ Exposé, The. "Shocking Report: U.S. Government Data Reveals a Staggering 143,233% Surge in Fatal Cancer Cases Linked to Covid Vaccinations." *The Exposé*, <https://expose-news.com/>, 7 Dec. 2023, expose-news.com/2023/12/08/shocking-rise-in-cancer-cases-linked-to-c19-vaccinaion/.

¹⁵⁰ "Lasting Impact of Lipid Nanoparticles." 2021. *Nature Reviews Materials* 6 (12): 1071–71. <https://doi.org/10.1038/s41578-021-00398-6>.

¹⁵¹ "5.3.6 CUMULATIVE ANALYSIS of POST-AUTHORIZATION ADVERSE EVENT REPORTS of PF-07302048 (BNT162B2) RECEIVED through 28-FEB-2021." Pgs. 30-38.

proteins, and then the body creates antibodies to fight the SARS-CoV-2. Some LNPs may not penetrate cells, and those circulate throughout the bloodstream.

History of risks. LNPs had a known unfavorable history in human pharmaceutical research. The record of LNPs had been long known as high-risk to human health. Research and development with LNPs centered on an innovative methodology to deliver therapeutics into cells to treat cancers. However, studies clearly showed that using LNPs for humans was contraindicated and ill-advised due to the health dangers.¹⁵² ¹⁵³Specifically, LNPs have been strongly associated with inflammation, autoimmune reactions, myocarditis and other cardiac conditions, blood clotting, neurological problems, and cancer. In mice studies, LNPs caused inflammation, even killing 80% within a 24-hour period.¹⁵⁴ There are no long-term studies on LNPs, but inflammation has been a known concern with them. LNPs, and they can affect the vagus nerve, which helps regulate functions like breathing, digestion, heart rate, blood pressure, respiration, and reflex actions (coughing, sneezing, swallowing, etc.)¹⁵⁵

A 2018 report noted that there had been substantial attention paid to nanoparticles and their possible toxic effects on the liver, brain, kidney, and reproductive organs.¹⁵⁶

What Pfizer Knew; What Vaccinations Revealed. There is currently no known means of removing LNPs (and their harmful cargo) from the human body. Pfizer told the public that the vaccine would remain in the deltoid muscle of the arm, but it knew from its own 2020 biodistribution study using luminescent markers,¹⁵⁷ that the LNPs migrated throughout the body.

¹⁵² Hudson, Heather. 2023. "Part 1: The Alarming LNP (Lipid Nanoparticles) History You Haven't Been Shown - the LNP Developers' Own Studies Dating Back 20 Years." DailyClout. September 15, 2023. <https://dailyclout.io/the-alarming-lnp-history-you-havent-been-shown-the-lnp-developers-own-studies-dating-back-20-years/>.

¹⁵³ Hudson, Heather. 2023. "Part 2: The Alarming LNP (Lipid Nanoparticles) History You Haven't Been Shown – the LNP Developers' Own Studies Dating Back 20 Years." DailyClout. September 15, 2023. <https://dailyclout.io/part-2-the-alarming-lnp-history-you-havent-been-shown-the-lnp-developers-own-studies-dating-back-20-years/>.

¹⁵⁴ A War Room/DailyClout Pfizer Documents Analysis Project Volunteer report, edited by Chris Flowers, M.D.. 2023. "Report 74: Lipid Nanoparticles Corrupt Nature." DailyClout. June 5, 2023. <https://dailyclout.io/report-74-lipid-nanoparticles-corrupt-nature/>. (See ¶ 3 under subheading: "MIND-BODY NANO-BIOWEAPON").

¹⁵⁵ A War Room/DailyClout Pfizer Documents Analysis Project Volunteer report, edited by Chris Flowers, M.D.. 2023. "Report 74: Lipid Nanoparticles Corrupt Nature." DailyClout. June 5, 2023. <https://dailyclout.io/report-74-lipid-nanoparticles-corrupt-nature/>.

¹⁵⁶ Wang, Ruolan, Bin Song, Junrong Wu, Yanli Zhang, Aijie Chen, and Longquan Shao. 2018. "Potential Adverse Effects of Nanoparticles on the Reproductive System." *International Journal of Nanomedicine* 13 (December): 8487–8506. <https://doi.org/10.2147/IJN.S170723>.

¹⁵⁷ "A Tissue Distribution Study of a [3 H]-Labelled Lipid Nanoparticle-MRNA Formulation Containing ALC-0315 and ALC-0159 Following Intramuscular Administration in Wistar Han Rats (GMT) (B) (4) (B) (4)." n.d. Accessed April 13, 2024. https://www.phmpt.org/wp-content/uploads/2022/03/125742_S1_M4_4223_185350.pdf. (See pp. 11, 22-27).

Pfizer’s LNPs were made of polyethylene glycol (PEG), a petroleum derivative.¹⁵⁸ Some people have allergies to PEG, which can cause a health emergency, such as anaphylaxis, cardiac arrest, which can lead to death.^{159,160} People without specific PEG allergies can still suffer pseudo-allergic reactions.¹⁶¹

Pathologist Dr. Ryan Cole explained that the mRNA vaccines cause large, unusually firm, non-dissolvable blood clots.¹⁶² While direct causation has not been established, there appears to be a very strong association between blood clotting and deaths following COVID shots. Since 2021, reports from embalmers in the U.S., U.K., and Australia have noted discoveries and extractions of long, stringy, light-colored clots from deceased persons. These types of clots had not been observed prior to the COVID vaccinations. The clots are fibrous, rubbery, and interfere with the ability to infuse embalming fluid into bodies. Thus, the clots had to be removed.^{163,164}

The Pfizer LNP and spike protein design turns human cells into spike protein producing factories. As one author put it, “[t]here is an uninvestigated and major concern that the mRNA could transform body cells into viral protein factories — with no off-switch — that produce the spike protein for a prolonged period causing chronic systemic inflammation and immune

¹⁵⁸ Wikipedia Contributors. 2019. “Polyethylene Glycol.” Wikipedia. Wikimedia Foundation. March 12, 2019. https://en.wikipedia.org/wiki/Polyethylene_glycol. (defined as compound derived from petroleum; See also, under subheading “Health Effects,” references PEG allergies).

¹⁵⁹ Team 3. 2022. “Report 15: Adverse Events Rise in Babies Breastfed by Vaccinated Mothers.” DailyClout. May 23, 2022. <https://dailyclout.io/adverse-events-rise-in-babies-breastfed-by-vaccinated-mothers/>. (See ¶ 1-2 under subheading “PEG ALLERGY and the COVID VACCINE”)

¹⁶⁰ Sellaturay, Priya, Shuaib Nasser, and Pamela Ewan. 2020. “Polyethylene Glycol–Induced Systemic Allergic Reactions (Anaphylaxis).” *The Journal of Allergy and Clinical Immunology: In Practice*, October. <https://doi.org/10.1016/j.jaip.2020.09.029>. (case presentations of PEG allergic reactions: anaphylaxis, cardiac arrest).

¹⁶¹ Hudson, Heather. 2023. “Part 1: The Alarming LNP (Lipid Nanoparticles) History You Haven’t Been Shown - the LNP Developers’ Own Studies Dating Back 20 Years.” DailyClout. September 15, 2023. <https://dailyclout.io/the-alarming-lnp-history-you-havent-been-shown-the-lnp-developers-own-studies-dating-back-20-years/>. (See Introduction, No. 6, “Unpredictable LNP Adverse Events”, describing Complement Activated Pseudo Allergies or CARPA).

¹⁶² “FULL EVENT: MTG Holds Hearing on Injuries Caused by COVID-19 Vaccines.” n.d. Rumble.com. Accessed April 13, 2024. <https://rumble.com/v46o1s0-full-event-mtg-holds-hearing-on-injuries-caused-by-covid-19-vaccines.html>. (See minutes 26-32 in Part II hearing with Sen. Ron Johnson, Rep. Marjorie Taylor Greene, Dr. Peter McCullough, Dr. Ryan Cole, and Dr. Kirk Milhoan, Jan. 12, 2024).

¹⁶³ DeSoto, Randy. 2022. “Embalmers Baffled after Finding Numerous Long, Fibrous Clots inside Corpses - Something Isn’t Right Here.” *The Western Journal*. September 7, 2022. <https://www.westernjournal.com/embalmers-baffled-finding-numerous-long-fibrous-clots-inside-corpses-something-isnt-right/>.

¹⁶⁴ “Exclusive: 70% of Embalmers Report Finding Strange Blood Clots Beginning in Mid-2021.” n.d. Children’s Health Defense. Accessed April 13, 2024. <https://childrenshealthdefense.org/defender/blood-clots-embalmers-report-mid-2021-covid-vaccines/>.

dysfunction.”¹⁶⁵ In short, the LNPs, in conjunction with the spike protein, seem to be functioning as biologic runaway trains of immune responses, resulting in truly dangerous health risks.

¹⁶⁵

“Scientists Call for Global Moratorium on mRNA Vaccines, Immediate Removal from Childhood Schedule.” n.d. Children’s Health Defense.
<https://childrenshealthdefense.org/defender/scientists-global-moratorium-mrna-vaccines-removal-childhood-schedule/>. ¶ 5 under subheading: “1. The COVID-19 ‘vaccines’ are reclassified gene therapies. . .”